Editors

JOHN I. BREWER, *Editor in Chief*

FREDERICK P. ZUSPAN, E. J. QUILLIGAN, *Editors*

ALBERT B. GERBIE, *Associate Editor*

HOWARD C. TAYLOR, JR., ALLAN C. BARNES, *Editors Emeritus*

Advisory committee on policy

David G. Anderson
John L. M. Bean
Melvin W. Breese
Tommy N. Evans
T. Terry Hayashi
Robert B. Jaffe
John Van S. Maeck
A. Cullen Richardson
J. Donald Woodruff
Samuel S. C. Yen

Board of corresponding editors

Oscar Aguero, *Caracas*
Fritz Beller, *Muenster/Westf.*
Pierre O. Hubinont, *Brussels*
Sir Norman Jeffcoate, *Liverpool*
Takashi Kobayashi, *Tokyo*

Volume 126
September-December, 1976
The C. V. Mosby Company
St. Louis
1976

in addition to those listed on the front cover
the Journal is the official publication
of the following societies

NEW YORK OBSTETRICAL SOCIETY
OBSTETRICAL SOCIETY OF PHILADELPHIA
BROOKLYN GYNECOLOGICAL SOCIETY
ST. LOUIS GYNECOLOGICAL SOCIETY
NEW ORLEANS GYNECOLOGICAL AND OBSTETRICAL SOCIETY
THE OBSTETRICAL AND GYNECOLOGICAL SOCIETY OF MARYLAND
CHICAGO GYNECOLOGICAL SOCIETY
CINCINNATI OBSTETRICAL AND GYNECOLOGICAL SOCIETY
WASHINGTON GYNECOLOGICAL SOCIETY
PITTSBURGH OBSTETRICAL AND GYNECOLOGICAL SOCIETY
BOSTON OBSTETRICAL SOCIETY
LOUISVILLE OBSTETRICAL AND GYNECOLOGICAL SOCIETY
SEATTLE GYNECOLOGICAL SOCIETY
ALABAMA ASSOCIATION OF OBSTETRICIANS AND GYNECOLOGISTS
AKRON OBSTETRICAL AND GYNECOLOGICAL SOCIETY
KANSAS CITY GYNECOLOGICAL SOCIETY
CENTRAL NEW YORK ASSOCIATION OF GYNECOLOGISTS AND OBSTETRICIANS
NEW JERSEY OBSTETRICAL AND GYNECOLOGICAL SOCIETY
IOWA OBSTETRIC AND GYNECOLOGIC SOCIETY
THE TEXAS ASSOCIATION OF OBSTETRICIANS AND GYNECOLOGISTS
OKLAHOMA CITY OBSTETRICAL AND GYNECOLOGICAL SOCIETY
MEMPHIS OBSTETRICAL AND GYNECOLOGICAL SOCIETY
UTAH OBSTETRICAL AND GYNECOLOGICAL SOCIETY
ROCHESTER OBSTETRICAL AND GYNECOLOGICAL SOCIETY
ARKANSAS OBSTETRICAL AND GYNECOLOGICAL SOCIETY
TENNESSEE STATE OBSTETRICAL AND GYNECOLOGICAL SOCIETY
NEW YORK GYNECOLOGICAL SOCIETY
PACIFIC NORTHWEST OBSTETRICAL AND GYNECOLOGICAL ASSOCIATION
BUFFALO OBSTETRICAL AND GYNECOLOGICAL SOCIETY
SAN FRANCISCO GYNECOLOGICAL SOCIETY
JACKSON GYNECIC SOCIETY

Volume **126**
Copyright © 1976 by The C. V. Mosby Company
(All rights reserved)

Printed in the United States of America

Index to volume 126

Author index*

A

Åberg, Anders (*see* Mägiste et al.), 697

Abinader, E. G., Klein, A., Eibschitz, I., Zilberman, A., Pezeshk, B., and Sharf, M. The significance of fetal electrocardiography in the diagnosis of intrauterine bradyarrhythmia, 266

Adler, Daniel H. (*see* Shapiro, Hughes, and Adler), 733

Adler, Donald (*see* Braunstein et al.), 678

Afridi, Muhammad Ali, Vongtama, Vitune, Tsukada, Yoshiaki, and Piver, M. Steven. Dysgerminoma of the ovary: Radiation therapy for recurrence and metastases, 190

Akaza, Tatsuya (*see* Tomoda et al.), 661

Aksel, Sezer, Schomberg, David W., Tyrey, Lee, and Hammond, Charles B. Vasomotor symptoms, serum estrogens, and gonadotropin levels in surgical menopause, 165

Al-Hadjiev, Alexander (*see* Huey, Paul, and Al-Hadjiev), 682

Alexander, E. Russell (*see* Chiang, Wei, and Alexander), 116

Allen, Arthur (*see* Braunstein et al.), 716

Amin, Hussein K. (*see* Neuwirth and Hussein), 95

Anderson, Ian (*see* Renou et al.), 470

Anderson, Stephen G. (*see* Greiss, Still, and Anderson), 799

Appuzzio, Joseph J. (*see* Langer et al.), 153

Arce, Juan J. (*see* Thadepalli et al.), 510

Armstrong, David H., Murata, Yuji, Martin, Chester B., Jr., and Ikenoue, Tsuyomu. Antepartum detection of congenital complete fetal heart block: A case report, 291 (Comm. in brief)

Atienza, Milagros F. (*see* Burkman et al.), 328, 648

Austin, J. Max, Jr. (*see* Shingleton, Gore, and Austin), 122

B

Babb, Richard R. Hepatitis B antigen: A review of its importance in the practice of obstetrics and gynecology, 602 (Current developments)

Baccarini, Iracema M. (*see* Singh et al.), 374

Baer, Herman (*see* Monif et al.), 158

Balin, Howard (*see* Kunakemakorn, Ontai, and Balin), 286

Balmer, J. A. Three-day therapy of vulvovaginal candidiasis with econazole: A multicentric study comprising 996 cases, 436

Barnett, Donald C. (*see* Lee and Barnett), 293

Barton, Bruce A. (*see* Sabbagha, Barton, and Barton), 479

— (*see* Sabbagha et al.), 485

Barton, Franca B. (*see* Sabbagha, Barton, and Barton), 479

— (*see* Sabbagha et al.), 485

Battaglia, Frederick C. (*see* Peeters et al.), 707

Becker, Carl G. (*see* Cederqvist et al.), 321

Beller, F. K., Dame, W. R., Intorp, H. W., Loew, H., and Schiffer, H. P. Renal disease in pregnancy, 845

Bendezu, Rafael (*see* Wieland et al.), 731

Benjamin, Fred, and Deutsch, Stanley. Plasma levels of fractionated estrogens and pituitary hormones in endometrial carcinoma, 638

Benzie, Ronald J., Malone, Ralph M., Miskin, Murray, Rudd, Noreen L., and Schofield, Philip A. Prenatal diagnosis by fetoscopy with subsequent normal delivery: Report of a case, 287 (Comm. in brief)

Berger, Gary S. (*see* Hasson, Edelman, and Berger), 973

Bernstein, A., Organ, L. W., Eisner, L. E., Smith, K. C., and Rowe, I. H. Measurement of the pre-ejection period during labor with the use of arterial pulse time, 238

Biezenski, J. J. Incorporation of ^{14}C-1-palmitate into rabbit fetal lipids in vivo, 356

Birk, S. A. (*see* Cruz et al.), 78

Blottiere, Josette (*see* Rochard et al.), 699

Bock, Johannes E. (*see* Trolle, Gæde, and Bock), 834

Borchert, Lynn G. (*see* Wiebe, Hammond, and Borchert), 993

Bowes, Watson A., Jr. (*see* Carson et al.), 712

Brann, Alfred W., Jr. (*see* Myers and Brann), 1048

Braselton, W. E. (*see* Mills et al.), 987

Braunstein, Glenn D., Rasor, Joan, Adler, Donald, Danzer, Hal, and Wade, Maclyn E. Serum human chorionic gonadotropin levels throughout normal pregnancy, 678

—, Ziel, Frederick H., Allen, Arthur, Van de Velde, Robert, and Wade, Maclyn E. Prenatal diagnosis of placental steroid sulfatase deficiency, 716

Brenner, William E., Edelman, David A., and Hendricks, Charles H. A standard of fetal growth for the United States of America, 555

Broome, Diane L., Wilson, Miriam G., Weiss, Bennett, and Kellogg, Bonnie. Needle puncture of fetus: A complication of second-trimester amniocentesis, 247

Bryans, C. I., Jr. (*see* Nelson and Bryans), 549

Bucovaz, E. T. (*see* Morrison et al.), 997

Buhi, W. C. (*see* Cruz et al.), 78

Burkman, Ronald T., Atienza, Milagros F., King, Theodore M., and Burnett, Lonnie S. Intra-amniotic urea and prostaglandin $F_{2\alpha}$ for midtrimester abortion: A modified regimen, 328

—, Tonascia, James A., Atienza, Milagros F., and King, Theodore M. Untreated endocervical gonorrhea and endometritis following elective abortion, 648

Burkons, David M. (*see* Willson and Burkons), 627, 744

Burnett, Lonnie S. (*see* Burkman et al.), 328

Byrd, J. Rogers (*see* Psaroudakis et al.), 508

C

Camus, M. (*see* Rodesch et al.), 723

Caritis, Steve N. (*see* James et al.), 276

Carlson, Jay W. (*see* Hollingsworth et al.), 230

Carson, Bonita S., Losey, Rosalind W., Bowes, Watson A., Jr., and Simmons, Michael A. Combined obstetric and pediatric approach to prevent meconium aspiration syndrome, 712

Cederqvist, Lars L., Francis, Linda C., Zervoudakis, Ioannis A., Becker, Carl G., and Litwin, Stephen D. Fetal immune response following prematurely ruptured membranes, 321

Cetrulo, Curtis L. (*see* Wilson, Shaub, and Cetrulo), 737

Challier, Jean-Claude, Schneider, Henning, and Dancis, Joseph. In vitro perfusion of human placenta. V. Oxygen consumption, 261

Chang, Allan (*see* Renou et al.), 470

Chang, Te-Wen. Familial allergic seminal vulvovaginitis, 442

Chard, T. (*see* Gibbens and Chard), 243

Catterton, R. T., Jr. (*see* Wynn, Harris, and Chatterton), 920

Chen, Sidney Y., Cohen, Carmel J., and Koffler, David . Cellular hypersensitivity in patients with adenomatous hyperplasia and adenocarcinoma of the endometrium, 370

Chen, Yung Sheng. Ureteral injury resulting from laparoscopic fulguration of endometriotic implant, 1045 (Comm. in brief)

Chez, Ronald A. (*see* Ehrenkranz et al.), 343

— (*see* Oakes et al.), 1038

Chiang, Wen Tsuo, Wei, Ping Yen, and Alexander, E. Russell. Circulatory and cellular immune responses to squamous cell carcinoma of the uterine cervix, 116

Christianson, Roberta (*see* Page and Christianson), 821

*September 1, 1-150; September 15, 151-300; October 1, 301-410; October 15, 411-520; November 1, 521-626; November 15, 627-738; December 1, 739-964; December 15, 965-1072.

CIBILS, LUIS A. Response of human uterine arteries to local anesthetics, 202
COHEN, CARMEL J. (see CHEN, KOFFLER, AND COHEN), 370
CONRAD, JOHN T., AND UELAND, KENT. Reduction of the stretch modulus of human cervical tissue by prostaglandin E_2, 218
COOK, HELEN (see HOCHBERG, WITHEILER, AND COOK), 531
COPPLESON, MALCOLM (see SINGER, REID, AND COPPLESON), 111
COUTINHO, ELSIMAR M., AND DARZÉ, ELIAS. Spontaneous contractility and the response of the human uterine cervix to prostaglandins $F_{2\alpha}$ and E_2 during the menstrual cycle, 224
—, MAIA, HUGO, AND NASCIMENTO, LUSIA. The response of the human Fallopian tube to ergonovine and methyl-ergonovine in vivo, 48
CREASY, ROBERT K. (see SIIMES AND CREASY), 1003
CRISSMAN, JOHN D., AND HANDWERKER, DAVID. Leiomyoma of uterine tube: Report of a case, 1046 (Comm. in brief)
CRUZ, A. C., BUHI, W. C., BIRK, S. A., AND SPELLACY, W. N. Respiratory distress syndrome with mature lecithin/sphingomyelin ratios: Diabetes mellitus and low Apgar scores, 78
CSAPO, A. I., AND ERDOS, T. The critical control of progesterone levels and pregnancy by antiprogesterone, 598 (Current developments)
CURRIE, JOHN L. (see NEBEL, LASSITER, AND CURRIE), 586
CUTLER, JOHN C. (see SINGH AND CUTLER), 365
— (see SINGH, POSTIC, AND CUTLER), 422

D

DAICOFF, GEORGE I. (see MONIF, FLORY, AND DAICOFF), 445
DAME, W. R. (see BELLER ET AL.), 845
DANCIS, JOSEPH (see CHALLIER, SCHNEIDER, AND DANCIS), 261
DANIEL, SALHA S. (see JAMES ET AL.), 276
DANZER, HAL (see BRAUNSTEIN ET AL.), 678
DARZÉ, ELIAS (see COUTINHO AND DARZÉ), 224
DAVIDSON, EZRA C., JR. (see THADEPALLI ET AL.), 510
DAVIES, PAUL (see JAMES AND DAVIES), 195
DAWOOD, M. YUSOFF, AND SAXENA, BRIJ B. Plasma testosterone and dihydrotestosterone in ovulatory and anovulatory cycles, 430
DEFOORT, P., DHONT, M., AND THIERY, M. Hydatidiform mole combined with fetus: Extended diagnostic arsenal, 1049 (Comm. in brief)
DELANGE, F. (see RODESCH ET AL.), 723
DEMERS, LAURENCE M., AND GABBE, STEVEN G. Placental prostaglandin levels in pre-eclampsia, 137 (Current investigation)
DEMPSEY, EDWARD W. (see LEE AND DEMPSEY), 495
DEUTSCH, STANLEY (see BENJAMIN AND DEUTSCH), 638
DEVANESAN, MONA (see LANGER ET AL.), 153
DHONT, M. (see DEFOORT, THIERY, AND DHONT), 1049
DILTS, P. V., JR. Current practices in antepartum and intrapartum fetal monitoring, 491
DODION, J. (see RODESCH ET AL.), 723
DOUGLAS, GORDON W. Centennial insights, 739
DRAKE, STEPHANIE (see MAYOR ET AL.), 100
DRAY, F., AND FRYDMAN, R. Primary prostaglandins in amniotic fluid in pregnancy and spontaneous labor, 13
DRISCOLL, SHIRLEY G. (see SCHIFF, DRISCOLL, AND NAFTOLIN), 1046
DUPON, CARYN (see KIM, ROSENFIELD, AND DUPON), 982

E

EDELMAN, DAVID A. (see BRENNER, HENDRICKS, AND EDELMAN), 555
— (see HASSON, BERGER, AND EDELMAN), 973
EHRENKRANZ, RICHARD A., WALKER, ADRIAN M., OAKES, GARY K., MCLAUGHLIN, MARGARET K., AND CHEZ, RONALD A. Effect of ritodrine infusion on uterine and umbilical blood flow in pregnant sheep, 343
— (see OAKES ET AL.), 1038
EIBSCHITZ, I. (see ABINADER ET AL.), 266
EISNER, L. E. (see BERNSTEIN ET AL.), 238
ELLEGOOD, J. O. (see MILLS ET AL.), 987
ERDOS, T. (see CSAPO AND ERDOS), 598
ERMANS, A. M. (see RODESCH ET AL.), 723
ESPOSITO, JOHN M. An unusual complication of tubal sterilization by silicone rubber banding under laparoscopic vision, 507 (Comm. in brief)
—. The laparoscopist and electrosurgery, 633 (Clinical opinion)
ETTINGER, BRUCE B. (see GABBE ET AL.), 353
EVERETT, HOUSTON S., AND TAYLOR, E. STEWART. The history of the American Gynecological Society and the scientific contributions of its Fellows, 908

F

FAIMAN, C. (see REYES, KOH, AND FAIMAN), 668
FALK, RUTH (see GISPERT AND FALK), 459
FANAROFF, AVROY A. (see HACK ET AL.), 43
FELDMAN, MARTIN J., LINZEY, E. MICHAEL, STREBNIK, ELENA, KENT, DERYCK R., GOLDSTEIN, ARTHUR I., AND NELSON, MORTON. Abnormal cervical cytology in the teen-ager: A continuing problem, 418
FENOGLIO, CECILIA M., FERENCZY, ALEX, RICHART, RALPH M., AND TOWNSEND, DUANE. Scanning and transmission electron microscopic studies of vaginal adenosis and the cervical transformation zone in progeny exposed in utero to diethylstilbestrol, 170
FERENCZY, ALEX (see FENOGLIO ET AL.), 170
FERRY, PEGGY C., AND PERNOLL, M. L. Rational management of perinatal hydrocephalus, 151 (Clinical opinion)
FINEGOLD, SYDNEY M. (see LEDGER ET AL.), 1
FISH, S. A. (see MORRISON ET AL.), 997
FLIEGNER, JOHN R. H. Placental function and renal tract studies in pre-eclampsia with proteinuria and long-term maternal consequences, 211
FLORY, LYNN L. (see MONIF, DAICOFF, AND FLORY), 445
FOX, H. E., STEINBRECHER, M., AND RIPTON, B. Antepartum fetal heart rate and uterine activity studies. I. Preliminary report of accelerations and the oxytocin challenge test, 61
FRANCIS, LINDA C. (see CEDERQVIST ET AL.), 321
FRATTAROLA, MICHAEL (see LANGER ET AL.), 153
FREEMAN, ROGER K. (see GABBE ET AL.), 353
FREY, C. F. (see JOSEPH ET AL.), 515
FRIEDMAN, EMANUEL A. A prerecorded program for the Ball pelvimetry technique, 477
FRIEDMAN, MAURICE. H. The development of the rabbit test for pregnancy, 728 (Classic pages)
FRIEDMAN, WILLIAM F. (see KIRKPATRICK ET AL.), 1034
FRYDMAN, R. (see DRAY AND FRYDMAN), 13
FUCHS, FRITZ. Prevention of prematurity, 809
FUMA, MASAKAZU (see TOMODA ET AL.), 661
FUNDERBURK, STEVE J., GUTHRIE, DONALD, AND MELDRUM, DAVID. Suboptimal pregnancy outcome among women with prior abortions and premature births, 55

G

GABBE, STEVEN G., ETTINGER, BRUCE B., FREEMAN, ROGER K., AND MARTIN, CHESTER B. Umbilical cord compression associated with amniotomy: Laboratory observations, 353
— (see DEMERS AND GABBE), 137 (Current investigation)
— (see NELSON AND GABBE), 1044
GÆDE, PREBEN (see TROLLE, GÆDE, AND BOCK), 834
GALASK, RUDOLPH P. (see GOPLERUD, OHM, AND GALASK), 858
GAROFF, LENA, AND SEPPÄLÄ, MARKKU. Toxemia of pregnancy: Assessment of fetal distress by urinary estriol and circulating human placental lactogen and alpha-fetoprotein levels, 1027
GARDNER, H. ALLEN, WOOD, E. MARTHA, AND STECKER, ELLYN. Placental cultures for cytogenetic assessment in saline-aborted fetuses, 350
GASSNER, CHARLES B., AND LEDGER, WILLIAM J. The relationship of hospital-acquired maternal infection to invasive intrapartum monitoring techniques, 33
GEE, CAROL, L. (see LEDGER ET AL.), 1
GENADRY, RENE R., THOMPSON, BRUCE H., AND NIEBYL, JENNIFER R. Gonococcal salpingitis in pregnancy, 512 (Comm. in brief)
GIBBENS, G. L. D., AND CHARD, T. Observations on maternal oxytocin release during human labor and the effect of intravenous alcohol administration, 243
GIBBS, C. E., AND LOCKE, WILLIAM E. Maternal deaths in Texas, 1969 to 1973, 687
GIBBS, CHARLES P., AND NOEL, STEPHEN C. Human uterine artery responses to lidocaine, 313
GIBBS, RONALD S., AND WEINSTEIN, ALLAN J. Bacteriologic effects of prophylactic antibiotics in cesarean section, 226
GISPERT, MARIA, AND FALK, RUTH. Sexual experimentation and pregnancy in young black adolescents, 459
GLOVER, M. W., AND VAN NAGELL, J. R., JR. The effect of prophylactic ampicillin on pelvic infection following vaginal hysterectomy, 385
GOLDENBERG, R. L., POWELL, R. D., ROSEN, SAUL W., MARSHALL, JOHN R., AND ROSS, G. T. Ovarian morphology in women with anosmia and hypogonadotropic hypogonadism, 91

GOLDSTEIN, ARTHUR I. (*see* FELDMAN ET AL.), 418
GOPLERUD, C. P., OHM, MARILYN J., AND GALASK, RUDOLPH P. Aerobic and anaerobic flora of the cervix during pregnancy and the puerperium, 858
GORDON, JAMES S., AND SBARRA, ANTHONY J. Incidence, technique of isolation, and treatment of group B streptococci in obstetric patients, 1023
GORE, HAZEL (*see* SHINGLETON, AUSTIN, AND GORE), 122
GOUPIL, FRANCOISE (*see* ROCHARD ET AL.), 699
GRAHAM, ETHEL E. (*see* RICHARDSON ET AL.), 416
GRAY, MARY JANE, AND TYSON, JUDITH. Evolution of a women's clinic: An alternate system of medical care, 760
GREENBLATT, ROBERT B. (*see* PSAROUDAKIS ET AL.), 508
GREISS, FRANK C., JR., ANDERSON, STEPHEN G., AND STILL, J. GORDON. Uterine pressure-flow relationships during early gestation, 799
GUSBERG, SAUL B. The individual at high risk for endometrial carcinoma, 535
GUSDON, JOHN P., JR. The effect of active immunity against placental proteins on pregnancy in monkeys, 308
— AND HERBST, GLENN A. The effect of promethazine hydrochloride on fetal and maternal lymphocytes, 730 (Comm. in brief)
GUTHRIE, DONALD (*see* FUNDERBURK, MELDRUM, AND GUTHRIE), 55

H

HACK, MAUREEN, FANAROFF, AVROY A., KLAUS, MARSHALL H., MENDELAWITZ, BARRY D., AND MERKATZ, IRWIN R. Neonatal respiratory distress following elective delivery. A preventable disease? 43
HALLBERG, MARVIN C. (*see* WIELAND ET AL.), 731
HAMMOND, CHARLES B. (*see* AKSEL ET AL.), 165
— (*see* WIEBE, BORCHERT, AND HAMMOND), 993
HANDWERKER, DAVID (*see* CRISSMAN AND HANDWERKER), 1046
HARBERT, GUY M., JR. (*see* MAY, THORNTON, AND HARBERT) 452
HARRIS, J. A. (*see* WYNN, CHATTERTON, AND HARRIS), 920
HARRIS, ROBERT E., THOMAS, VIRGINIA L., AND SHELOKOV, ALEXIS. Asymptomatic bacteriuria in pregnancy: Antibody-coated bacteria, renal function, and intrauterine growth retardation, 20
— (*see* MURRAY AND HARRIS), 449
HASSON, H. M., BERGER, GARY S., AND EDELMAN, DAVID A. Factors affecting intrauterine contraceptive device performance. I. Endometrial cavity length, 973
HENDRICKS, CHARLES H. (*see* BRENNER, EDELMAN, AND HENDRICKS), 555
HERBST, GLENN A. (*see* GUSDON AND HERBST), 730
HERTZ, ROGER H. (*see* TIMOR-TRITSCH ET AL.), 70
HIBBARD, LESTER T. Spontaneous rupture of the liver in pregnancy: A report of eight cases, 334
HINMAN, ALAN R. (*see* STROH AND HINMAN), 83
HIRSCHKLAU, MICHAEL J. (*see* KIRKPATRICK ET AL.), 1034
HOCHBERG, CHARLES J., WITHEILER, ALAN P., AND COOK, HELEN. Accurate amniotic fluid bilirubin analysis from the "bloody tap," 531
HOLLINGSWORTH, DOROTHY R., MOSER, RUSSELL J., CARLSON, JAY W., AND THOMPSON, KATHRYN T. Abnormal adolescent primiparous pregnancy: Association of race, human chorionic somatomammotropin production, and smoking, 230
HONORÉ, LOUIS H. The mechanism of midtrimester abortion induced by intra-amniotic instillation of hypertonic saline: A modification of Gustavii's lysosomal hypothesis, 1011
HUEY, JAMES R., JR., AL-HADJIEV, ALEXANDER, AND PAUL, RICHARD H. Uterine activity in the multiparous patient, 682
HUGGINS, GEORGE R., AND PRET!, GEORGE. Volatile constituents of human vaginal secretions, 129
HUGHES, WILLIAM F. (*see* SHAPIRO, ADLER, AND HUGHES), 733
HUGO, MAIA (*see* COUTINHO, NASCIMENTO, AND HUGO), 48
HWANG, YONG HYEN. Listeriosis during pregnancy, 285 (Comm. in brief)

I

IKENOUE, TSUYOMU, QUILLIGAN, EDWARD J., AND MURATA, YUJI. Circulatory response to atropine in sheep fetus, 253
— (*see* ARMSTRONG ET AL.), 291
INDYK, LEONARD (*see* JAMES ET AL.), 276
INTORP, H. W. (*see* BELLER ET AL.), 845
ISHIZUKA, NAOTAKA (*see* TOMODA ET AL.), 661

J

JAIN, ANRUDH K. Cigarette smoking, use of oral contraceptives, and myocardial infarction, 301 (Clinical opinion)
— (*see* TATUM, SCHMIDT, AND JAIN), 869
JAMES, FRANCIS M., III, AND DAVIES, PAUL. Maternal and fetal effects of lumbar epidural analgesia for labor and delivery in patients with gestational hypertension, 195
JAMES, L. STANLEY, YEH, MING-NENG, MORISHIMA, HISAYO O., DANIEL, SALHA S., CARITIS, STEVE N., NIEMANN, WENDELL H., AND INDYK, LEONARD. Umbilical vein occlusion and transient acceleration of the fetal heart rate, 276
JIRKU, HELMUT (*see* YOUNG ET AL.), 38
JOHNSON, JOHN W. C. (*see* DE MARINIS, LEIGHTON, AND JOHNSON), 738
JONES, GEORGEANNA SEEGAR (*see* WENTZ ET AL.), 378
JONES, GERALD L. (*see* LING ET AL.), 1016
JONES, O. HUNTER. Cesarean section in present-day obstetrics, 521
JOSEPH, R. R., FREY, C. F., MICHAELS, R., AND MCCANN, D. S. Amylase-containing ovarian cystadenocarcinoma simulating a pancreatic pseudocyst, 515 (Comm. in brief)
JOSEY, WILLIAM E., MCKENZIE, WILLIAM J., AND LAMBE, DWIGHT W., JR. *Corynebacterium vaginale (Haemophilus vaginalis)* in women with leukorrhea, 574

K

KADNER, SUSAN (*see* YOUNG ET AL.), 38
KANE, FRANCIS J., JR. Evaluation of emotional reactions to oral contraceptive use, 968 (Clinical opinion)
KASHMIRI, RAFIAH (*see* VAN NAGELL ET AL.), 105
KELLOGG, BONNIE (*see* BROOME ET AL.), 247
KENT, DERYCK R. (*see* FELDMAN ET AL.), 418
KERBER, MARCIA (*see* LANG AND REISS), 693
KIM, MOON H., ROSENFIELD, ROBERT L., AND DUPON, CARYN. The effects of dexamethasone on plasma free androgens during the normal menstrual cycle, 982
KING, THEODORE M. (*see* BURKMAN ET AL.), 328, 648
— (*see* WENTZ ET AL.), 378
KINGAS, ELAINE (*see* SABBAGHA ET AL.), 485
KIRKPATRICK, STANELY E., PITLICK, PAUL T., HIRSCHKLAU, MICHAEL J., AND FRIEDMAN, WILLIAM F. Acute effects of maternal ethanol infusion on fetal cardiac performance, 1034
KLAUS, MARSHALL H. (*see* HACK ET AL.), 43
KLEIN, A. (*see* ABINADER ET AL.), 266
KOFFLER, DAVID (*see* CHEN, COHEN, AND KOFFLER), 370
KOH, K. S. (*see* REYES, FAIMAN, AND KOH), 668
KOK, FRANS TH., WALLENBURG, HENK C. S., AND WLADIMIROFF, JURIY W. Ultrasonic measurement of cervical dilatation during labor, 288 (Comm. in brief)
KOOS, BRIAN J., AND LONGO, LAWRENCE D. Mercury toxicity in the pregnant woman, fetus, and newborn infant, 390 (Current developments)
KREUTNER, ALBERT, JR. (*see* WILLIAMSON ET AL.), 579
KUNAKEMAKORN, PRAVIT, ONTAI, GORDON, AND BALIN, HOWARD. Pelvic inflammatory pseudotumor: A case report, 286 (Comm. in brief)

L

LAMBE, DWIGHT W., JR. (*see* JOSEY, MCKENZIE, AND LAMBE), 574
LANG, LOUISE, AND REISS, ALICE M. A new, more sensitive tube test for pregnancy evaluated with a selected hospital population, 693
LANGER, ALVIN, DEVANESAN, MONA, PELOSI, MARCO A., APUZZIO, JOSEPH J., AND FRATTAROLA, MICHAEL. Choice of an oral contraceptive, 153 (Clinical opinion)
LARAGH, JOHN H. Oral contraceptive–induced hypertension—nine years later, 141 (Current developments)
LASSITER, RICHARD E. (*see* NEBEL, CURRIE, AND LASSITER), 586
LEBLANC, H., AND YEN, S. S. C. The effect of L-dopa and chlorpromazine on prolactin and growth hormone secretion in normal women, 162
LEDGER, WILLIAM J., GEE, CAROL L., POLLIN, PATRICIA A., LEWIS, WILLIAM P., SUTTER, VERA L., AND FINEGOLD, SYDNEY M. A new approach to patients with suspected anaerobic postpartum pelvic infections. Transabdominal uterine aspiration for culture and metronidazole for treatment, 1
— (*see* GASSNER AND LEDGER), 33
LEE, MARY M. L., AND DEMPSEY, EDWARD W. Microcirculation of the rat placenta, 495
LEE, TIMOTHY G., AND BARNETT, DONALD C. Ultrasound localization of laminaria, 293 (Comm. in brief)

LEGRAND, HELENE (*see* ROCHARD ET AL.), 699
LEIGHTON, LESLIE S. (*see* DE MARINIS, JOHNSON, AND LEIGHTON), 738
LEIN, A. (*see* YEN AND LEIN), 942
LEMAIRE, WILLIAM J. (*see* LING ET AL.), 1016
LEMONS, JAMES A. (*see* PEETERS ET AL.), 707
LEVITZ, MORTIMER (*see* YOUNG ET AL.), 38
LEWIS, WILLIAM P. (*see* LEDGER ET AL.), 1
LICHTEN, EDWARD M., AND TETERIS, NICHOLAS J. Thoracopygopagus tripus: An unusual form of conjoined twins, 735 (Comm. in brief)
LIGGINS, G. C. Adrenocortical-related maturational events in the fetus, 931
LIM, Y. L., AND WALTERS, W. A. W. Systolic time intervals in normotensive and hypertensive human pregnancy, 26
LIN, T. J. (*see* MILLS ET AL.), 987
LING, WILLIAM Y., LEMAIRE, WILLIAM J., JONES, GERALD L., MARSH, JOHN M., AND LITTLE, WILLIAM A. Dynamics of adenosine-3',5'-monophosphate transfer among mother, fetus, and amniotic fluid in the rhesus monkey, 1016
LINZEY, E. MICHAEL (*see* FELDMAN ET AL.), 418
LITTLE, WILLIAM A. (*see* LING ET AL.), 1016
LITWIN, STEPHEN D. (*see* CEDERQVIST ET AL.), 321
LOCKE, WILLIAM E. (*see* GIBBS AND LOCKE), 687
LOEW, H. (*see* BELLER ET AL.), 845
LONGO, LAWRENCE D. (*see* KOOS AND LONGO), 390
LOSEY, ROSALIND W. (*see* CARSON ET AL.), 712
LYON, JAMES B. (*see* RICHARDSON, WILLIAMS, AND LYON), 568
— (*see* RICHARDSON ET AL.), 416

M

MCCANN, D. S. (*see* JOSEPH ET AL.), 515
MCCOLLUM, VIOLA (*see* VAN NAGELL ET AL.), 105
MCGEE, JOHN A., JR. (*see* POWE AND MCGEE), 565
MCKENZIE, WILLIAM J. (*see* JOSEY, LAMBE, AND MCKENZIE), 574
MCLAREN, D. S., MROUEH, A., AND READ, W. W. C. Abnormality in metabolism of ^{15}N-labeled nitrate in toxemia, 339
MCLAUGHLIN, MARGARET K. (*see* EHRENKRANZ ET AL.), 343
MÄGISTE, MADIS, VON SCHENCK, HENNING, SJÖBERG, NILS-OTTO, THORELL, JAN I., AND ÅBERG, ANDERS. Screening for detecting twin pregnancy, 697
MAHESH, V. B. (*see* MILLS ET AL.), 987
MAIDMAN, JACK E. (*see* THADEPALLI ET AL.), 510
MALONE, RALPH M. (*see* BENZIE ET AL.), 287
MANCHESTER, DAVID, MARGOLIS, HAROLD S., AND SHELDON, ROGER E. Possible association between maternal indomethacin therapy and primary pulmonary hypertension of the newborn infant, 467
MÅRDH, P.-A. (*see* SKUDE, WESTRÖM, AND MÅRDH), 652
— (*see* WESTRÖM, SKUDE, AND MÅRDH), 657
MARGOLIS, HAROLD S. (*see* MANCHESTER, SHELDON, AND MARGOLIS), 467
DE MARINIS, MARIAN, LEIGHTON, LESLIE S., AND JOHNSON, JOHN W. C. Fetal monitoring during cesarean section, 738 (Comm. in brief)
MARSH, JOHN M. (*see* LING ET AL.), 1016
MARSHALL, JOHN R. (*see* GOLDENBERG ET AL.), 91
MARTIN, CHESTER B. (*see* ARMSTRONG ET AL.), 291
— (*see* GABBE ET AL.), 353
MATHUR, RAJESH S. (*see* WILLIAMSON ET AL.), 579
MATTINGLY, RICHARD F., AND STAFL, ADOLF. Cancer risk in diethylstilbestrol-exposed offspring, 543
MAY, HARRY V., JR., HARBERT, GUY M., JR., AND THORNTON, W. NORMAN, JR. Thrombotic thrombocytopenic purpura associated with pregnancy, 452
MAYOR, HEATHER D., DRAKE, STEPHANIE, STAHMANN, JOYCE, AND MUMFORD, DAVID M. Antibodies to adeno-associated satellite virus and herpes simplex in sera from cancer patients and normal adults, 100
MEEKER, W. R. (*see* VAN NAGELL ET AL.), 105
MELDRUM, DAVID (*see* FUNDERBURK, GUTHRIE, AND MELDRUM), 55
MENDELAWITZ, BARRY D. (*see* HACK ET AL.), 43
MERKATZ, IRWIN R. (*see* HACK ET AL.), 43
MICHAELS, R. (*see* JOSEPH ET AL.), 515
MILLS, T. M., LIN, T. J., BRASELTON, W. E., ELLEGOOD, J. O., AND MAHESH, V. B. Metabolism of oral contraceptive drugs, 987
MISKIN, MURRAY (*see* BENZIE ET AL.), 287
MOAWAD, ATEF (*see* SINGH ET AL.), 374
MONIF, GILLES R. G., DAICOFF, GEORGE I., AND FLORY, LYNN L. Blood as a potential vehicle for the cytomegaloviruses, 445
—, WELKOS, SUSAN L., BAER, HERMAN, AND THOMPSON, ROBERT J. Cul-de-sac isolates from patients with endometritis-salpingitis-peritonitis and gonococcal endocervicitis, 158
MORISHIMA, HISAYO O. (*see* JAMES ET AL.), 276
MORLEY, GEORGE W., AND SESKI, JAN C. Radical pelvic surgery versus radiation therapy for Stage I carcinoma of the cervix (exclusive of microinvasion), 785
MORRISON, J. C., WHYBREW, W. D., ROSSER, S. I., BUCOVAZ, E. T., WISER, W. L., AND FISH, S. A. Metabolites of meperidine in the fetal and maternal serum, 997
MOSER, RUSSELL J. (*see* HOLLINGSWORTH ET AL.), 230
MROUEH A. (*see* MCLAREN, READ, AND MROUEH), 339
MUMFORD, DAVID M. (*see* MAYOR ET AL.), 100
— (*see* ARMSTRONG ET AL.), 291
— (*see* IKENOUE, QUILLIGAN, AND MURATA), 253
MURRAY, JAMES M., AND HARRIS, ROBERT E. The management of the pregnant patient with idiopathic thrombocytopenic purpura, 449
MYERS, RONALD E., AND BRANN, ALFRED W., JR. Abruptio placentae in rhesus monkey causing brain damage to the fetus, 1048 (Comm. in brief)

N

NAFTOLIN, FREDERICK (*see* SCHIFF, DRISCOLL, AND NAFTOLIN), 1046
— (*see* TOLIS AND NAFTOLIN), 426
VAN NAGELL, J. R., JR., MEEKER, W. R., PARKER, J. C., JR., KASHMIRI, RAFIAH, AND MCCOLLUM, VIOLA. Carcinoembryonic antigen in intraepithelial neoplasia of the uterine cervix, 105
— (*see* GLOVER AND VAN NAGELL), 385
NASCIMENTO, LUSIA (*see* COUTINHO, HUGO, AND NASCIMENTO), 48
NEBEL, WILLIAM A., CURRIE, JOHN L., AND LASSITER, RICHARD E. Clinical experience with the copper-7 intrauterine contraceptive device, 586
NELSON, GEORGE H., AND BRYANS, C. I., JR. A comparison of oral prostaglandin E_2 and intravenous oxytocin for induction of labor in normal and high-risk pregnancies, 549
NELSON, LAWRENCE M., AND GABBE, STEVEN G. Massive hemangiomas and lymphangiomas causing dystocia, 1044 (Comm. in brief)
NELSON, MORTON (*see* FELDMAN ET AL.), 418
NEUWIRTH, ROBERT S., AND AMIN, HUSSEIN K. Excision of submucus fibroids with hysteroscopic control, 95
NIEBYL, JENNIFER R. (*see* GENADRY, THOMPSON, AND NIEBYL), 512
VAN NIEKERK, W. A. True hermaphroditism, 890
NIEMANN, WENDELL H. (*see* JAMES ET AL.), 276
NISWENDER, GORDON D. (*see* PEETERS ET AL.), 707
NOEL, STEPHEN C. (*see* GIBBS AND NOEL), 313

O

OAKES, GARY K., WALKER, ADRIAN M., EHRENKRANZ, RICHARD A., AND CHEZ, RONALD A. Effect of propranolol infusion on the umbilical and uterine circulations of pregnant sheep, 1038
— (*see* EHRENKRANZ ET AL.), 343
OETTINGER, MOSHE (*see* PSAROUDAKIS ET AL.), 508
OHM, MARILYN J. (*see* GOPLERUD, GALASK, AND OHM), 858
ONTAI, GORDON (*see* KUNAKEMAKORN, BALIN, AND ONTAI), 286
ORGAN, L. W. (*see* BERNSTEIN ET AL.), 238
ORGILL, JULIE (*see* SABBAGHA ET AL.), 485
OSKI, FRANK A. (*see* POLEDNAK AND OSKI), 734

P

PAGE, ERNEST W., AND CHRISTIANSON, ROBERTA. Influence of blood pressure changes with and without proteinuria upon outcome of pregnancy, 821
PARKER, J. C., JR. (*see* VAN NAGELL ET AL.), 105
PATCHELL, R. D. Rectouterine fistula associated with the Cu-7 intrauterine contraceptive device, 292 (Comm. in brief)
PAUL, RICHARD H. (*see* HUEY, AL-HADJIEV, AND PAUL), 682
PEETERS, LOUIS L., LEMONS, JAMES A., NISWENDER, GORDON D., AND BATTAGLIA, FREDERICK C. Serum levels of human placental lactogen and human chorionic gonadotropin in early pregnancy: A maturational index of the placenta, 707
PELOSI, MARCO A. (*see* LANGER ET AL.), 153
PERNOLL, M. L. (*see* FERRY AND PERNOLL), 151
PEZESHK, B. (*see* ABINADER ET AL.), 266
PITLICK, PAUL T. (*see* KIRKPATRICK ET AL.), 1034

PIVER, M. STEVEN (*see* AFRIDI ET AL.), 190
POLEDNAK, ANTHONY P., AND OSKI, FRANK A. Changes in congenital oral cleft incidence in relation to induced abortions, 734 (Comm. in brief)
POLLIN, PATRICIA A. (*see* LEDGER ET AL.), 1
POSTIC, BOSKO (*see* SINGH, CUTLER, AND POSTIC), 422
POTICHA, STUART M. The primary treatment of breast carcinoma, 411 (Clinical opinion)
POWE, C. EDWIN, JR., AND MCGEE, JOHN A., JR. Combined outpatient laparoscopic sterilization with therapeutic abortion, 565
POWELL, R. D. (*see* GOLDENBERG ET AL.), 91
PRATT-THOMAS, H. RAWLING (*see* WILLIAMSON ET AL.), 579
PRETI, GEORGE (*see* HUGGINS AND PRETI), 129
PSAROUDAKIS, ANTONIOS, OETTINGER, MOSHE, BYRD, J. ROGERS, AND GREENBLATT, ROBERT B. Cytogenetic studies in gonadal dysgenesis with dysgerminoma, 508 (Comm. in brief)

Q

QUILLIGAN, EDWARD J. (*see* IKENOUE, MURATA, AND QUILLIGAN), 253

R

RAMBHATLA, KAMALAKAR (*see* THADEPALLI ET AL.), 510
RASOR, JOAN (*see* BRAUNSTEIN ET AL.), 678
READ, W. W. C. (*see* MCLAREN, MROUEH, AND READ), 339
REID, BEVAN L. (*see* SINGER, COPPLESON, AND REID), 111
REISS, ALICE M. (*see* LANG AND REISS), 693
RENOU, PETER, CHANG, ALLAN, ANDERSON, IAN, AND WOOD, CARL. Controlled trial of fetal intensive care, 470
REYES, F. I., KOH, K. S., AND FAIMAN, C. Fertility in women with gonadal dysgenesis, 668
RICHARDSON, A. CULLEN, LYON, JAMES B., GRAHAM, ETHEL E., AND WILLIAMS, NANCY L. Decreasing postpartum sexual abstinence time, 416 (Clinical opinion)
—, —, AND WILLIAMS, NANCY L. A new look at pelvic relaxation, 568
RICHART, RALPH M. (*see* FENOGLIO ET AL.), 170
RIDLEY, JOHN H. A composite vaginal vault suspension using fascia lata, 590
RIPTON, B. (*see* FOX, STEINBRECHER, AND RIPTON), 61
ROBBOY, STANLEY J. (*see* ULFELDER AND ROBBOY), 769
ROCHARD, FRANCE, SCHIFRIN, BARRY S., GOUPIL, FRANCOISE, LEGRAND, HELENE, BLOTTIERE, JOSETTE, AND SUREAU, CLAUDE. Nonstressed fetal heart rate monitoring in the antepartum period, 699
RODDICK, J. W., JR. Gynecologic disease in young, sexually active women, 880
RODESCH, F., CAMUS, M., ERMANS, A. M., DODION, J., AND DELANGE, F. Adverse effect of amniofetography on fetal thyroid function, 723 (Current investigation)
ROGERS, J. FELIX (*see* WILLIAMSON ET AL.), 579
ROSEN, MORTIMER G. (*see* TIMOR-TRITSCH ET AL.), 70
ROSEN, SAUL W. (*see* GOLDENBERG ET AL.), 91
ROSENFIELD, ROBERT L. (*see* KIM, DUPON, AND ROSENFIELD), 982
ROSS, G. T. (*see* GOLDENBERG ET AL.), 91
ROSSER, S. I. (*see* MORRISON ET AL.), 997
ROWE, I. H. (*see* BERNSTEIN ET AL.), 238
RUDD, NOREEN L. (*see* BENZIE ET AL.), 287
RUTLEDGE, FELIX N. (*see* SAMAAN ET AL.), 186

S

SABBAGHA, RUDY E., BARTON, BRUCE A., BARTON, FRANCA B., KINGAS, ELAINE, ORGILL, JULIE, AND TURNER, J. HOWARD. Sonar biparietal diameter. II. Predictive of three fetal growth patterns leading to a closer assessment of gestational age and neonatal weight, 485
—, BARTON, FRANCA B., AND BARTON, BRUCE A. Sonar biparietal diameter. I. Analysis of percentile growth differences in two normal populations using same methodology, 479
SAIKI, NORIHIKO (*see* TOMODA ET AL.), 661
SAMAAN, NAGUIB A., SMITH, JULIAN P., RUTLEDGE, FELIX N., AND SCHULTZ, PAMELA N. The significance of measurement of human placental lactogen, human chorionic gonadotropin, and carcinoembryonic antigen in patients with ovarian carcinoma, 186
SAPP, KARAN C. (*see* WENTZ ET AL.), 378
SAXENA, BRIJ B. (*see* DAWOOD AND SAXENA), 430
SBARRA, ANTHONY J. (*see* GORDON AND SBARRA), 1023
SCHIFF, ISAAC, DRISCOLL, SHIRLEY G., AND NAFTOLIN, FREDERICK. Calcification of the umbilical cord, 1046 (Comm. in brief)
SCHIFFER, H. P. (*see* BELLER ET AL.), 845
SCHIFRIN, BARRY S. (*see* ROCHARD ET AL.), 699
SCHLAERTH, JOHN B. (*see* WINKEL, SNYDER, AND SCHLAERTH), 720
SCHMIDT, FREDERICK H. (*see* TATUM, JAIN, AND SCHMIDT), 869
SCHNEIDER, HENNING (*see* CHALLIER, DANCIS, AND SCHNEIDER), 261
SCHNEIDER, SANDRA M., AND THOMPSON, DOUGLASS S. Repeat aborters, 316
SCHOFIELD, PHILIP A. (*see* BENZIE ET AL.), 287
SCHOMBERG, DAVID W. (*see* AKSEL ET AL.), 165
SCHULTZ, PAMELA N. (*see* SAMAAN ET AL.), 186
SEPPÄLÄ, MARKKU (*see* GAROFF AND SEPPÄLÄ), 1027
SESKI, JAN C. Iatrogenic intravesical foreign body following Marshall-Marchetti procedure, 514 (Comm. in brief)
— (*see* MORLEY AND SESKI), 785
SHAPIRO, HOWARD I., HUGHES, WILLIAM F., AND ADLER, DANIEL H. Torsion of the oviduct following laparoscopic sterilization, 733 (Comm. in brief)
SHARF, M. (*see* ABINADER ET AL.), 266
SHAUB, MICHAEL S. (*see* WILSON, CETRULO, AND SHAUB), 737
SHEIKH, HAMID H. Hysterosalpingographic follow-up of laparoscopic sterilization, 181
SHELDON, ROGER E. (*see* MANCHESTER, MARGOLIS, AND SHELDON), 467
SHELOKOV, ALEXIS (*see* HARRIS, THOMAS, AND SHELOKOV), 20
SHINGLETON, HUGH M., GORE, HAZEL, AND AUSTIN, J. MAX, JR. Outpatient evaluation of patients with atypical Papanicolaou smears: Contribution of endocervical curettage, 122
SICURANZA, BERNARD J., AND TISDALL, LESLIE HUGHES. Hydatidiform mole and eclampsia with coexistent living fetus in the second trimester of pregnancy, 513 (Comm. in brief)
SIIMES, ANJA S. I., AND CREASY, ROBERT K. Effect of ritodrine on uterine activity, heart rate, and blood pressure in the pregnant sheep: Combined use of alpha or beta blockade, 1003
SIMMONS, MICHAEL A. (*see* CARSON ET AL.), 712
SINGER, ALBERT, REID, BEVAN L., AND COPPLESON, MALCOLM. A hypothesis: The role of a high-risk male in the etiology of cervical carcinoma, 111
SINGH, BALWANT, AND CUTLER, JOHN C. The effect of vaginal lubricants on *Neisseria gonorrhoeae*, 365
—, POSTIC, BOSKO, AND CUTLER, JOHN C. Virucidal effect of certain chemical contraceptives on Type 2 herpesvirus, 422
SINGH, ERIC J., ZUSPAN, FREDERICK P., BACCARINI, IRACEMA M., AND MOAWAD, ATEF. Fallopian tube and ovarian hydrocarbons, 374
SJÖBERG, NILS-OTTO (*see* MÄGISTE ET AL.), 697
SKUDE, G., MÅRDH, P.-A., AND WESTRÖM, L. Amylases of the genital tract. I. Isoamylases of genital tract tissue homogenates and peritoneal fluid, 652
— (*see* WESTRÖM, MÅRDH, AND SKUDE), 657
SMITH, JULIAN P. (*see* SAMAAN ET AL.), 186
SMITH, K. C. (*see* BERNSTEIN ET AL.), 238
SMITH, LINDA (*see* LANG AND REISS), 693
SNYDER, DONALD L. (*see* WINKEL, SCHLAERTH, AND SNYDER), 720
SPELLACY, W. N. (*see* CRUZ ET AL.), 78
SPIRA, IAN A., AND WOLFF, WILLIAM I. Colonic pseudo-obstruction following termination of pregnancy and uterine operation, 7
STAFL, ADOLF (*see* MATTINGLY AND STAFL), 543
STAHMANN, JOYCE (*see* MAYOR ET AL.), 100
STALLWORTHY, SIR JOHN. Pelvic cancer priorities, 777
STECKER, ELLYN (*see* GARDNER, WOOD, AND STECKER), 350
STEINBRECHER, M. (*see* FOX, RIPTON, AND STEINBRECHER), 61
STILL, J. GORDON (*see* GREISS, ANDERSON, AND STILL), 799
STREBNIK, ELENA (*see* FELDMAN ET AL.), 418
STROH, GEORGE, AND HINMAN, ALAN R. Reported live births following induced abortion: Two and one-half years' experience in Upstate New York, 83
SUREAU, CLAUDE (*see* ROCHARD ET AL.), 699
SUTTER, VERA L. (*see* LEDGER ET AL.), 1

T

TANG, PETER (*see* WIELAND ET AL.), 731
TATUM, HOWARD J., SCHMIDT, FREDERICK H., AND JAIN, ANRUDH K. Management and outcome of pregnancies associated with the Copper T intrauterine contraceptive device, 869
TAYLOR, E. STEWART (*see* EVERETT AND TAYLOR), 908
TETERIS, NICHOLAS J. (*see* LICHTEN AND TETERIS), 735

Thadepalli, Haragopal, Rambhatla, Kamalakar, Maidman, Jack E., Arce, Juan J., and Davidson, Ezra C., Jr. Gonococcal sepsis secondary to fetal monitoring, 510 (Comm. in brief)
Thiery, M. (*see* Defoort, Dhont, and Thiery), 1049
Thomas, Virginia L. (*see* Harris, Shelokov, and Thomas), 20
Thompson, Bruce H. (*see* Genadry, Niebyl, and Thompson), 512
Thompson, Douglass S. (*see* Schneider and Thompson), 316
Thompson, Kathryn T. (*see* Hollingsworth et al.), 230
Thompson, Robert J. (*see* Monif et al.), 158
Thorell, Jan I. (*see* Mägiste et al.), 697
Thornton, W. Norton (*see* May, Harbert, and Thornton), 452
Timor-Tritsch, Ilan, Zador, Ivan, Hertz, Roger H., and Rosen, Mortimer G. Classification of human fetal movement, 70
Tisdall, Leslie (*see* Sicuranza and Tisdall), 513
Tolis, George, and Naftolin, Frederick. Induction of menstruation with bromocryptine in patients with euprolactinemic amenorrhea, 426
Tomoda, Yutaka, Fuma, Masakazu, Saiki, Norihiko, Ishizuka, Naotaka, and Akaza, Tatsuya. Immunologic studies in patients with trophoblastic neoplasia, 661
Tonascia, James A. (*see* Burkman et al.), 648
Townsend, Duane (*see* Fenoglio et al.), 170
Trolle, Dyre, Bock, Johannes E., and Gæde, Preben. The prognostic and diagnostic value of total estriol in urine and in serum and of human placental lactogen in serum in the last part of pregnancy, 834
Tsukada, Yoshiaki (*see* Afridi et al.), 190
Turner, J. Howard (*see* Sabbagha et al.), 485
Tyrey, Lee (*see* Aksel et al.), 165
Tyson, Judith (*see* Gray and Tyson), 760

U

Ueland, Kent. Maternal cardiovascular dynamics. VII. Intrapartum blood volume changes, 671
— (*see* Conrad and Ueland), 218
Ulfelder, Howard, and Robboy, Stanley J. The embryologic development of the human vagina, 769
Underwood, Paul B., Jr. (*see* Williamson et al.), 579

V

Van de Velde, Robert (*see* Braunstein et al.), 716
Von Schenck, Henning (*see* Mägiste et al.), 697
Vongtama, Vitune (*see* Afridi et al.), 190

W

Wade, Maclyn E. (*see* Braunstein et al.), 678, 716
Walker, Adrian M. (*see* Ehrenkranz et al.), 343
— (*see* Oakes et al.), 1038
Wallenburg, Henk C. S. (*see* Kok, Wladimiroff, and Wallenburg), 288
Walters, W. A. W. (*see* Lim and Walters), 26
Webster, Kenneth (*see* Wieland et al.), 731
Wei, Ping Yen (*see* Chiang, Alexander, and Wei), 116
Weinstein, Allan J. (*see* Gibbs and Weinstein), 226
Weinstein, Howard M. (*see* Young and Weinstein), 271
Weiss, Bennett (*see* Broome et al.), 247
Welkos, Susan L. (*see* Monif et al.), 158
Wentz, Anne Colston, Jones, Georgeanna Seegar, Sapp, Karan C., and King, Theodore M. Progestational activity of Danazol in the human female subject, 378
Weström, L., Skude, G., and Mårdh, P.-A. Amylases of the genital tract. II. Peritoneal fluid isoamylases in acute salpingitis, 657
— (*see* Skude, Mårdh, and Weström), 652
Whybrew, W. D. (*see* Morrison et al.), 997
Wiebe, R. Herbert, Hammond, Charles B., and Borchert, Lynn G. Diagnosis of prolactin-secreting pituitary microadenoma, 993
Wieland, Ralph G., Bendezu, Rafael, Hallberg, Marvin C., Tang, Peter, and Webster, Kenneth. Hormonal evaluation of premature menarche produced by a follicular cyst, 731 (Comm. in brief)
Williams, Nancy L. (*see* Richardson, Lyon, and Williams), 568
— (*see* Richardson et al.), 416
Williamson, H. Oliver, Underwood, Paul B., Jr., Kreutner, Albert, Jr., Rogers, J. Felix, Mathur, Rajesh S., and Pratt-Thomas, H. Rawling. Gonadoblastoma: Clinicopathologic correlation in six patients, 579
Willson, J. Robert, and Burkons, David M. Obstetrician-gynecologists are primary physicians to women. I. Practice patterns of Michigan obstetrician-gynecologists, 627 (Clinical opinion)
— and —. Obstetrician-gynecologists are primary physicians to women. II. Education for a new role, 744
Wilson, Miriam G. (*see* Broome et al.), 247
Wilson, Robert L., Cetrulo, Curtis L., and Shaub, Michael S. The prepartum diagnosis of conjoined twins by the use of diagnostic ultrasound, 737 (Comm. in brief)
Winkel, Craig A., Snyder, Donald L., and Schlaerth, John B. Scalp abscess: A complication of the spiral fetal electrode, 720
Wiser, W. L. (*see* Morrison et al.), 997
Witheiler, Alan P. (*see* Hochberg, Cook, and Witheiler), 531
Witherow, Candace C. (*see* Gusdon), 308
Wladimiroff, Juriy W. (*see* Kok, Wallenburg, and Wladimiroff), 288
Wolff, William I. (*see* Spira and Wolff), 7
Wood, Carl (*see* Renou et al.), 470
Wood, E. Martha (*see* Gardner, Stecker, and Wood), 350
Wynn, R. M., Harris, J. A., and Chatterton, R. T., Jr. Interaction of progesterone and adrenocorticoids in ultrastructural development of the mammary gland of the rat, 920

Y

Yeh, Ming-Neng (*see* James et al.), 276
Yen, S. S. C., and Lein, A. The apparent paradox of the negative and positive feedback control system on gonadotropin secretion, 942
— (*see* Leblanc and Yen), 162
Young, Bruce K., Jirku, Helmut, Kadner, Susan, and Levitz, Mortimer. Renal clearances of estriol conjugates in normal human pregnancy at term, 38
— and Weinstein, Howard M. Moderate fetal bradycardia, 271

Z

Zador, Ivan (*see* Timor-Tritsch et al.), 70
Zander, Josef. Methodologic evolution in obstetrics and gynecology, 755
Zervoudakis, Ioannis A. (*see* Cederqvist et al.), 321
Ziel, Frederick H. (*see* Braunstein et al.), 716
Zilberman, A. (*see* Abinader et al.), 266
Zuspan, Frederick P. Urinary amine alterations in drug-addiction pregnancy, 955
— (*see* Singh et al.), 374

Subject index*

A

Aborted, saline-, fetuses, placental cultures for cytogenetic assessment in (Gardner, Wood, and Stecker), 350
Aborters, repeat (Schneider and Thompson), 316
Abortion(s), elective, untreated endocervical gonorrhea and endometritis following (Burkman et al.), 648
induced, changes in congenital oral cleft incidence in relation to (Polednak and Oski), 734 (Comm. in brief)
reported live births following: Two and one-half years' experience in Upstate New York (Stroh and Hinman), 83
midtrimester, induced by intra-amniotic instillation of hypertonic saline, mechanism of: Modification of Gustavii's lysosomal hypothesis (Honoré), 1011
intra-amniotic urea and prostaglandin $F_{2\alpha}$ for: Modified regimen (Burkman et al.), 328
and premature births, prior, suboptimal pregnancy outcome among women with (Funderburk, Guthrie, and Meldrum), 55
therapeutic, combined outpatient laparoscopic sterilization with (Powe and McGee), 565
Abruptio placentae in rhesus monkey causing brain damage to fetus (Myers and Brann), 1048 (Comm. in brief)
Abscess, scalp: Complication of spiral fetal electrode (Winkel, Snyder, and Schlaerth), 720
Accelerations and oxytocin challenge test, preliminary report of, I. Antepartum fetal heart rate and uterine activity studies (Fox, Steinbrecher, and Ripton), 61
Addiction, drug-, pregnancy, urinary amine alterations in (Zuspan), 955
Adeno-associated satellite virus and herpes simplex, antibodies to, in sera from cancer patients and normal adults (Mayor et al.), 100
Adenocarcinoma, adenomatous hyperplasia and, of endometrium, cellular hypersensitivity in patients with (Chen, Cohen, and Koffler), 370
Adenomatous hyperplasia and adenocarcinoma of endometrium, cellular hypersensitivity in patients with (Chen, Cohen, and Koffler), 370
Adenosine-3',5'-monophosphate transfer, dynamics of, among mother, fetus, and amniotic fluid in rhesus monkey (Ling et al.), 1016
Adenosis, vaginal, and cervical transformation zone, scanning and transmission electron microscopic studies of, in progeny exposed in utero to diethylstilbestrol (Fenoglio et al.), 170
Adolescent(s) primiparous pregnancy, abnormal: Association of race, human chorionic somatomammotropin production, and smoking (Hollingsworth et al.), 230
young black, sexual experimentation and pregnancy in (Gispert and Falk), 459
Adrenocortical-related maturational events in fetus (Liggins), 931
Adrenocorticoids, progesterone and, interaction of, in ultrastructural development of mammary gland of rat (Wynn, Harris, and Chatterton), 920
Aerobic and anaerobic flora of cervix during pregnancy and puerperium (Goplerud, Ohm, and Galask), 858
Age, gestational, and neonatal weight, closer assessment of, predictive of three fetal growth patterns leading to, II. Sonar biparietal diameter (Sabbagha et al.), 485
Alcohol administration, intravenous, effect of, maternal oxytocin release during human labor and, observations on (Gibbens and Chard), 243
Allergic seminal vulvovaginitis, familial (Chang), 442
Alpha or beta blockade, combined use of: Effect of ritodrine on uterine activity, heart rate, and blood pressure in pregnant sheep (Siimes and Creasy), 1003
-fetoprotein levels, urinary estriol and circulating human placental lactogen and, assessment of fetal distress by: Toxemia of pregnancy (Garoff and Seppälä), 1027
Amenorrhea, euprolactinemic, induction of menstruation with bromocryptine in patients with (Tolis and Naftolin), 426
American Gynecological Society, history of, and scientific contributions of its Fellows (Everett and Taylor), 908
transactions, ninety-ninth annual meeting, 739-964
Amine alterations, urinary, in drug-addiction pregnancy (Zuspan), 955
Amniocentesis, second-trimester, complication of: Needle puncture of fetus (Broome et al.), 247
Amniofetography, adverse effect of, on fetal thyroid function (Rodesch et al.), 723 (Current investigation)
Amniotic fluid bilirubin analysis, accurate, from "bloody tap" (Hochberg, Witheiler, and Cook), 531
mother, and fetus, dynamics of adenosine-3',5'-monophosphate transfer among, in rhesus monkey (Ling et al.), 1016
primary prostaglandins in, in pregnancy and spontaneous labor (Dray and Frydman), 13
Amniotomy, umbilical cord compression associated with: Laboratory observations (Gabbe et al.), 353
Ampicillin, prophylactic, effect of, on pelvic infection following vaginal hysterectomy (Glover and van Nagell), 385
Amylase(s)-containing ovarian cystadenocarcinoma simulating pancreatic pseudocyst (Joseph et al.), 515 (Comm. in brief)
of genital tract. I. Isoamylases of genital tract tissue homogenates and peritoneal fluid (Skude, Mårdh, and Weström), 652
II. Peritoneal fluid isoamylases in acute salpingitis (Weström, Skude, and Mårdh), 657
Anaerobic flora, aerobic and, of cervix during pregnancy and puerperium (Goplerud, Ohm, and Galask), 858
postpartum pelvic infections, suspected, new approach to patients with. Transabdominal uterine aspiration for culture and metronidazole for treatment (Ledger et al.), 1
Analgesia, lumbar epidural, for labor and delivery, maternal and fetal effects of, in patients with gestational hypertension (James and Davies), 195
Androgens, plasma free, effects of dexamethasone on, during normal menstrual cycle (Kim, Rosenfield, and Dupon), 982
Anesthetics, local, response of human uterine arteries to (Cibils), 202
Anosmia and hypogonadotropic hypogonadism, ovarian morphology in women with (Goldenberg et al.), 91
Anovulatory cycles, ovulatory and, plasma testosterone and dihydrotestosterone in (Dawood and Saxena), 430
Antepartum detection of congenital complete fetal heart block: Case report (Armstrong et al.), 291 (Comm. in brief)
fetal heart rate and uterine activity studies. I. Preliminary report of accelerations and oxytocin challenge test (Fox, Steinbrecher, and Ripton), 61
and intrapartum fetal monitoring, current practices in (Dilts), 491
period, nonstressed fetal heart rate monitoring in (Rochard et al.), 699
Antibiotics, prophylactic, bacteriologic effects of, in cesarean section (Gibbs and Weinstein), 226
Antibody (antibodies) to adeno-associated satellite virus and herpes simplex in sera from cancer patients and normal adults (Mayor et al.), 100
-coated bacteria, renal function, and intrauterine growth retardation: Asymptomatic bacteriuria in pregnancy (Harris, Thomas, and Shelokov), 20
Antigen, carcinoembryonic, human placental lactogen, and human chorionic gonadotropin, significance of measurement of, in patients with ovarian carcinoma (Samaan et al.), 186
in intraepithelial neoplasia of uterine cervix (van Nagell et al.), 105
hepatitis B: Review of its importance in practice of obstetrics and gynecology (Babb), 602 (Current developments)
Antiprogesterone, critical control of progesterone levels and pregnancy by (Csapo and Erdos), 598 (Current developments)

*September 1, 1-150; September 15, 151-300; October 1, 301-410; October 15, 411-520; November 1, 521-626; November 15, 627-738; December 1, 739-964; December 15, 965-1072.

Apgar scores, low, diabetes mellitus and: Respiratory distress syndrome with mature lecithin/sphingomyelin ratios (Cruz et al.), 78
Arterial pulse time, measurement of pre-ejection period during labor with use of (Bernstein et al.), 238
Artery (arteries), human uterine, response of, to local anesthetics (Cibils), 202
responses, human uterine, to lidocaine (Gibbs and Noel), 313
Aspiration syndrome, meconium, combined obstetric and pediatric approach to prevent (Carson et al.), 712
transabdominal uterine, for culture and metronidazole for treatment. New approach to patients with suspected anaerobic postpartum pelvic infections (Ledger et al.), 1
Atropine, circulatory response to, in sheep fetus (Ikenoue, Quilligan, and Murata), 253

B

B streptococci, group, incidence, technique of isolation, and treatment of, in obstetric patients (Gordon and Sbarra), 1023
Bacteria, antibody-coated, renal function, and intrauterine growth retardation: Asymptomatic bacteriuria in pregnancy (Harris, Thomas, and Shelokov), 20
Bacteriologic effects of prophylactic antibiotics in cesarean section (Gibbs and Weinstein), 226
Bacteriuria, asymptomatic, in pregnancy: Antibody-coated bacteria, renal function, and intrauterine growth retardation (Harris, Thomas, and Shelokov), 20
Ball pelvimetry technique, prerecorded program for (Friedman), 477
Beta blockade, alpha or, combined use of: Effect of ritodrine on uterine activity, heart rate, and blood pressure in pregnant sheep (Siimes and Creasy), 1003
Bilirubin analysis, accurate amniotic fluid, from "bloody tap" (Hochberg, Witheiler, and Cook), 531
Biparietal diameter, sonar. I. Analysis of percentile growth differences in two normal populations using same methodology (Sabbagha, Barton, and Barton), 479
II. Predictive of three fetal growth patterns leading to closer assessment of gestational age and neonatal weight (Sabbagha et al.), 485
Births, premature, prior abortions and, suboptimal pregnancy outcome among women with (Funderburk, Guthrie, and Meldrum), 55
reported live, following induced abortion: Two and one-half years' experience in Upstate New York (Stroh and Hinman), 83
Black adolescents, young, sexual experimentation and pregnancy in (Gispert and Falk), 459
Blood flow, uterine and umbilical, effect of ritodrine infusion on, in pregnant sheep (Ehrenkranz et al.), 343
as potential vehicle for cytomegaloviruses (Monif, Daicoff, and Florv), 445
pressure changes with and without proteinuria, influence of, upon outcome of pregnancy (Page and Christianson), 821
uterine activity, and heart rate, effect of ritodrine on, in pregnant sheep: Combined use of alpha or beta blockade (Siimes and Creasy), 1003
volume changes, intrapartum, VII. Maternal cardiovascular dynamics (Ueland), 671
"Bloody tap," accurate amniotic fluid bilirubin analysis from (Hochberg, Witheiler, and Cook), 531
Books received, 300, 520
Bradycardia, moderate fetal (Young and Weinstein), 271
Brain damage to fetus, abruptio placentae in rhesus monkey causing (Myers and Brann), 1048 (Comm. in brief)
Breast carcinoma, primary treatment of (Poticha), 411 (Clinical opinion)
Bromocryptine, induction of menstruation with, in patients with euprolactinemic amenorrhea (Tolis and Naftolin), 426

C

^{14}C-1-palmitate, incorporation of, into rabbit fetal lipids in vivo (Biezenski), 356
Calcification of umbilical cord (Schiff, Driscoll, and Naftolin), 1046 (Comm. in brief)
Cancer patients and normal adults, sera from, antibodies to adenoassociated satellite virus and herpes simplex in (Mayor et al.), 100
priorities, pelvic (Stallworthy), 777
risk in diethylstilbestrol-exposed offspring (Mattingly and Stafl), 543
Candidiasis, vulvovaginal, three-day therapy of, with econazole: Multicentric study comprising 996 cases (Balmer), 436
Carcinoembryonic antigen, human placental lactogen, and human chorionic gonadotropin, significance of measurement of, in patients with ovarian carcinoma (Samaan et al.), 186
in intraepithelial neoplasia of uterine cervix (van Nagell et al.), 105
Carcinoma, breast, primary treatment of (Poticha), 411 (Clinical opinion)
cervical, role of high-risk male in etiology of: Hypothesis (Singer, Reid, and Coppleson), 111
of cervix (exclusive of microinvasion), Stage I, radical pelvic surgery versus radiation therapy for (Morley and Seski), 785
endometrial, individual at high risk for (Gusberg), 535
plasma levels of fractionated estrogens and pituitary hormones in (Benjamin and Deutsch), 638
ovarian, significance of measurement of human placental lactogen, human chorionic gonadotropin, and carcinoembryonic antigen in patients with (Samaan et al.), 186
squamous cell, of uterine cervix, circulatory and cellular immune responses to (Chiang, Wei, and Alexander), 116
Cardiac performance, fetal, acute effects of maternal ethanol infusion on (Kirkpatrick et al.), 1034
Cardiovascular dynamics, maternal. VII. Intrapartum blood volume changes (Ueland), 671
Cell carcinoma, squamous, of uterine cervix, circulatory and cellular immune responses to (Chiang, Wei, and Alexander), 116
Cellular hypersensitivity in patients with adenomatous hyperplasia and adenocarcinoma of endometrium (Chen, Cohen, and Koffler), 370
immune responses, circulatory and, to squamous cell carcinoma of uterine cervix (Chiang, Wei, and Alexander), 116
Centennial insights (Douglas), 739
Cervical carcinoma, role of high-risk male in etiology of: Hypothesis (Singer, Reid, and Coppleson), 111
cytology, abnormal, in teen-ager: Continuing problem (Feldman et al.), 418
dilatation, ultrasonic measurement of, during labor (Kok, Wallenburg, and Wladimiroff), 288 (Comm. in brief)
tissue, human, reduction of stretch modulus of, by prostaglandin E_2 (Conrad and Ueland), 218
transformation zone, vaginal adenosis and, scanning and transmission electron microscopic studies of, in progeny exposed in utero to diethylstilbestrol (Fenoglio et al.), 170
Cervix, aerobic and anaerobic flora of, during pregnancy and puerperium (Goplerud, Ohm, and Galask), 858
(exclusive of microinvasion), Stage I carcinoma of, radical pelvic surgery versus radiation therapy for (Morley and Seski), 785
human uterine, spontaneous contractility and response of, to prostaglandins $F_{2\alpha}$ and E_2 during menstrual cycle (Coutinho and Darzé), 224
uterine, intraepithelial neoplasia of, carcinoembryonic antigen in (van Nagell et al.), 105
squamous cell carcinoma of, circulatory and cellular immune responses to (Chiang, Wei, and Alexander), 116
Cesarean section, bacteriologic effects of prophylactic antibiotics in (Gibbs and Weinstein), 226
fetal monitoring during (de Marinis, Leighton, and Johnson), 738 (Comm. in brief)
in present-day obstetrics (Jones), 521
Challenge test, oxytocin, accelerations and, preliminary report of, I. Antepartum fetal heart rate and uterine activity studies (Fox, Steinbrecher, and Ripton), 61
Chlorpromazine, L-dopa and, effect of, on prolactin and growth hormone secretion in normal women (Leblanc and Yen), 162
Chorionic gonadotropin, human, carcinoembryonic antigen, and human placental lactogen, significance of measurement of, in patients with ovarian carcinoma (Samaan et al.), 186
human placental lactogen and, serum levels of, in early pregnancy: Maturational index of placenta (Peeters et al.), 707
levels, serum human, throughout normal pregnancy (Braunstein et al.), 678
somatomammotropin production, human, smoking, and race, association of: Abnormal adolescent primiparous pregnancy (Hollingsworth et al.), 230
Cigarette smoking, use of oral contraceptives, and myocardial infarction (Jain), 301 (Clinical opinion)
Circulations, umbilical and uterine, of pregnant sheep, effect of propranolol infusion on (Oakes et al.), 1038

Circulatory and cellular immune responses to squamous cell carcinoma of uterine cervix (Chiang, Wei, and Alexander), 116
response to atropine in sheep fetus (Ikenoue, Quilligan, and Murata), 253
Classic pages, 140, 284, 389, 506, 597, 727-729, 1043
Cleft incidence, congenital oral, changes in, in relation to induced abortions (Polednak and Oski), 734 (Comm. in brief)
Clinic, women's, evolution of: Alternate system of medical care (Gray and Tyson), 760
Clinical opinion, 151-157, 411-417, 627-637, 968-972
Colonic pseudo-obstruction following termination of pregnancy and uterine operation (Spira and Wolff), 7
Communications in brief, 285-295, 507-516, 730-738, 1044-1051
Complication of second-trimester amniocentesis: Needle puncture of fetus (Broome et al.), 247
of spiral fetal electrode: Scalp abscess (Winkel, Snyder, and Schlaerth), 720
unusual, of tubal sterilization by silicone rubber banding under laparoscopic vision (Esposito), 507 (Comm. in brief)
Compression, umbilical cord, associated with amniotomy: Laboratory observations (Gabbe et al.), 353
Congenital complete fetal heart block, antepartum detection of: Case report (Armstrong et al.), 291 (Comm. in brief)
oral cleft incidence, changes in, in relation to induced abortions (Polednak and Oski), 734 (Comm. in brief)
Conjoined twins, prepartum diagnosis of, by use of diagnostic ultrasound (Wilson, Cetrulo, and Shaub), 737 (Comm. in brief)
unusual form of: Thoracopygopagus tripus (Lichten and Teteris), 735 (Comm. in brief)
Conjugates, estriol, renal clearances of, in normal human pregnancy at term (Young et al.), 38
Consultants for American Journal of Obstetrics and Gynecology, 965 (Consultants)
Contraceptive(s), certain chemical, virucidal effect of, on Type 2 herpesvirus (Singh, Postic, and Cutler), 422
device, copper-7 intrauterine, clinical experience with (Nebel, Currie, and Lassiter), 586
T intrauterine, management and outcome of pregnancies associated with (Tatum, Schmidt, and Jain), 869
Cu-7 intrauterine, rectouterine fistula associated with (Patchell), 292 (Comm. in brief)
performance, intrauterine, factors affecting. I. Endometrial cavity length (Hasson, Berger, and Edelman), 973
drugs, oral, metabolism of (Mills et al.), 987
oral, choice of (Langer et al.), 153 (Clinical opinion)
–induced hypertension—Nine years later (Laragh), 141 (Current developments)
use of, myocardial infarction, and cigarette smoking (Jain), 301 (Clinical opinion)
use, oral, evaluation of emotional reactions to (Kane), 968 (Clinical opinion)
Contractility, spontaneous, and response of human uterine cervix to prostaglandins $F_{2\alpha}$ and E_2 during menstrual cycle (Coutinho and Darzé), 224
Copper-7 intrauterine contraceptive device, clinical experience with (Nebel, Currie, and Lassiter), 586
T intrauterine contraceptive device, management and outcome of pregnancies associated with (Tatum, Schmidt, and Jain), 869
Cord compression, umbilical, associated with amniotomy: Laboratory observations (Gabbe et al.), 353
umbilical, calcification of (Schiff, Driscoll, and Naftolin), 1046 (Comm. in brief)
Correspondence, 296-299, 517-519, 607-625, 1052
Corynebacterium vaginale (Haemophilus vaginalis) in women with leukorrhea (Josey, McKenzie, and Lambe), 574
Cu-7 intrauterine contraceptive device, rectouterine fistula associated with (Patchell), 292 (Comm. in brief)
Cul-de-sac isolates from patients with endometritis-salpingitis-peritonitis and gonococcal endocervicitis (Monif et al.), 158
Culture(s), placental, for cytogenetic assessment in saline-aborted fetuses (Gardner, Wood, and Stecker), 350
transabdominal uterine aspiration for, and metronidazole for treatment. New approach to patients with suspected anaerobic postpartum pelvic infections (Ledger et al.), 1
Curettage, endocervical, contribution of: Outpatient evaluation of patients with atypical Papanicolaou smears (Shingleton, Gore, and Austin), 122
Current developments, 141-147, 390-409, 598-606
investigation, 137-139, 723-726
Cycle(s), menstrual, spontaneous contractility and response of human uterine cervix to prostaglandins $F_{2\alpha}$ and E_2 during (Coutinho and Darzé), 224
normal menstrual, effects of dexamethasone on plasma free androgens during (Kim, Rosenfield, and Dupon), 982
ovulatory and anovulatory, plasma testosterone and dihydrotestosterone in (Dawood and Saxena), 430
Cyst, follicular, hormonal evaluation of premature menarche produced by (Wieland et al.), 731 (Comm. in brief)
Cystadenocarcinoma, amylase-containing ovarian, simulating pancreatic pseudocyst (Joseph et al.), 515 (Comm. in brief)
Cytogenetic assessment, placental cultures for, in saline-aborted fetuses (Gardner, Wood, and Stecker), 350
studies in gonadal dysgenesis with dysgerminoma (Psaroudakis et al.), 508 (Comm. in brief)
Cytology, abnormal cervical, in teen-ager: Continuing problem (Feldman et al.), 418
Cytomegaloviruses, blood as potential vehicle for (Monif, Daicoff, and Flory), 445

D

Danazol, progestational activity of, in human female subject (Wentz et al.), 374
Deaths, maternal, in Texas, 1969 to 1973 (Gibbs and Locke), 687
Delivery, elective, neonatal respiratory distress following. Preventable disease? (Hack et al.), 43
labor and, lumbar epidural analgesia for, maternal and fetal effects of, in patients with gestational hypertension (James and Davies), 195
subsequent normal, prenatal diagnosis by fetoscopy with: Report of case (Benzie et al.), 287 (Comm. in brief)
Device, copper-7 intrauterine contraceptive, clinical experience with (Nebel, Currie, and Lassiter), 586
T intrauterine contraceptive, management and outcome of pregnancies associated with (Tatum, Schmidt, and Jain), 869
Cu-7 intrauterine contraceptive, rectouterine fistula associated with (Patchell), 292 (Comm. in brief)
performance, intrauterine contraceptive, factors affecting. I. Endometrial cavity length (Hasson, Berger, and Edelman), 973
Dexamethasone, effects of, on plasma free androgens during normal menstrual cycle (Kim, Rosenfield, and Dupon), 982
Diabetes mellitus and low Apgar scores: Respiratory distress syndrome with mature lecithin/sphingomyelin ratios (Cruz et al.), 78
Diagnosis of intrauterine bradyarrhythmia, significance of fetal electrocardiography in (Abinader et al.), 266
prenatal, by fetoscopy with subsequent normal delivery: Report of case (Benzie et al.), 287 (Comm. in brief)
of placental steroid sulfatase deficiency (Braunstein et al.), 716
prepartum, of conjoined twins by use of diagnostic ultrasound (Wilson, Cetrulo, and Shaub), 737 (Comm. in brief)
of prolactin-secreting pituitary microadenoma (Wiebe, Hammond, and Borchert), 993
Diagnostic arsenal, extended: Hydatidiform mole combined with fetus (Defoort, Dhont, and Thiery), 1049 (Comm. in brief)
ultrasound, prepartum diagnosis of conjoined twins by use of (Wilson, Cetrulo, and Shaub), 737 (Comm. in brief)
value, prognostic and, of total estriol in urine and in serum and of human placental lactogen hormone in serum in last part of pregnancy (Trolle, Bock, and Gæde), 834
Diameter, sonar biparietal. I. Analysis of percentile growth differences in two normal populations using same methodology (Sabbagha, Barton, and Barton), 479
II. Predictive of three fetal growth patterns leading to closer assessment of gestational age and neonatal weight (Sabbagha et al.), 485
Diethylstilbestrol-exposed offspring, cancer risk in (Mattingly and Staff), 543
progeny exposed in utero to, scanning and transmission electron microscopic studies of vaginal adenosis and cervical transformation zone in (Fenoglio et al.), 170
Dihydrotestosterone, plasma testosterone and, in ovulatory and anovulatory cycles (Dawood and Saxena), 430
Dilatation, cervical, ultrasonic measurement of, during labor (Kok, Wallenburg, and Wladimiroff), 288 (Comm. in brief)

Disease, gynecologic, in young, sexually active women (Roddick), 880
preventable? Neonatal respiratory distress following elective delivery (Hack et al.), 43
renal, in pregnancy (Beller et al.), 845
Distress, fetal, assessment of, by urinary estriol and circulating human placental lactogen and alpha-fetoprotein levels: Toxemia of pregnancy (Garoff and Seppälä), 1027
neonatal respiratory, following elective delivery. Preventable disease? (Hack et al.), 43
syndrome, respiratory, with mature lecithin/sphingomyelin ratios: Diabetes mellitus and low Apgar scores (Cruz et al.), 78
Drug(s)-addiction pregnancy, urinary amine alterations in (Zuspan), 955
oral contraceptive, metabolism of (Mills et al.), 987
Dysgenesis, gonadal, with dysgerminoma, cytogenetic studies in (Psaroudakis et al.), 508 (Comm. in brief)
fertility in women with (Reyes, Koh, and Faiman), 668
Dysgerminoma, gonadal dysgenesis with, cytogenetic studies in (Psaroudakis et al.), 508 (Comm. in brief)
of ovary: Radiation therapy for recurrence and metastases (Afridi et al.), 190
Dystocia, massive hemangiomas and lymphangiomas causing (Nelson and Gabbe), 1044 (Comm. in brief)

E

E_2, oral prostaglandin, and intravenous oxytocin, comparison of, for induction of labor in normal and high-risk pregnancies (Nelson and Bryans), 549
prostaglandin(s) $F_{2\alpha}$ and, spontaneous contractility and response of human uterine cervix to, during menstrual cycle (Coutinho and Darzé), 224
reduction of stretch modulus of human cervical tissue by (Conrad and Ueland), 218
Eclampsia, hydatidiform mole and, with coexistent living fetus in second trimester of pregnancy (Sicuranza and Tisdall), 513 (Comm. in brief)
Econazole, three-day therapy of vulvovaginal candidiasis with: Multicentric study comprising 996 cases (Balmer), 436
Education for new role, II. Obstetrician-gynecologists are primary physicians to women (Willson and Burkons), 744
Electrocardiography, fetal, significance of, in diagnosis of intrauterine bradyarrhythmia (Abinader et al.), 266
Electrode, spiral fetal, complication of: Scalp abscess (Winkel, Snyder, and Schlaerth), 720
Electron microscopic studies, scanning and transmission, of vaginal adenosis and cervical transformation zone in progeny exposed in utero to diethylstilbestrol (Fenoglio et al.), 170
Electrosurgery, laparoscopist and (Esposito), 633 (Clinical opinion)
Embryologic development of human vagina (Ulfelder and Robboy), 769
Emotional reactions to oral contraceptive use, evaluation of (Kane), 968 (Clinical opinion)
Endocervical curettage, contribution of: Outpatient evaluation of patients with atypical Papanicolaou smears (Shingleton, Gore, and Austin), 122
gonorrhea, untreated, and endometritis following elective abortion (Burkman et al.), 648
Endocervicitis, gonococcal, endometritis-salpingitis-peritonitis and, cul-de-sac isolates from patients with (Monif et al.), 158
Endometrial carcinoma, individual at high risk for (Gusberg), 535
plasma levels of fractionated estrogens and pituitary hormones in (Benjamin and Deutsch), 638
cavity length, I. Factors affecting intrauterine contraceptive device performance (Hasson, Berger, and Edelman), 973
Endometriotic implant, ureteral injury resulting from laparoscopic fulguration of (Cheng), 1045 (Comm. in brief)
Endometritis-salpingitis-peritonitis and gonococcal endocervicitis, cul-de-sac isolates from patients with (Monif et al.), 158
untreated endocervical gonorrhea and, following elective abortion (Burkman et al.), 648
Endometrium, adenomatous hyperplasia and adenocarcinoma of, cellular hypersensitivity in patients with (Chen, Cohen, and Koffler), 370
Epidural analgesia, lumbar, for labor and delivery, maternal and fetal effects of, in patients with gestational hypertension (James and Davies), 195
Ergonovine and methyl-ergonovine, response of human Fallopian tube to, in vivo (Coutinho, Maia, and Nascimento), 48
Estriol conjugates, renal clearances of, in normal human pregnancy at term (Young et al.), 38
total, in urine and in serum, prognostic and diagnostic value of, and of human placental lactogen hormone in serum in last part of pregnancy (Trolle, Bock, and Gaede), 834
urinary, and circulating human placental lactogen and alpha-fetoprotein levels, assessment of fetal distress by: Toxemia of pregnancy (Garoff and Seppälä), 1027
Estrogens and pituitary hormones, fractionated, plasma levels of, in endometrial carcinoma (Benjamin and Deutsch), 638
serum, gonadotropin levels, and vasomotor symptoms in surgical menopause (Aksel et al.), 165
Ethanol infusion, maternal, acute effects of, on fetal cardiac performance (Kirkpatrick et al.), 1034
Etiology of cervical carcinoma, role of high-risk male in: Hypothesis (Singer, Reid, and Coppleson), 111
Euprolactinemic amenorrhea, induction of menstruation with bromocryptine in patients with (Tolis and Naftolin), 426
Excision of submucus fibroids with hysteroscopic control (Neuwirth and Amin), 95

F

$F_{2\alpha}$ and E_2, prostaglandins, spontaneous contractility and response of human uterine cervix to, during menstrual cycle (Coutinho and Darzé), 224
$F_{2\alpha}$, prostaglandin, intra-amniotic urea and, for midtrimester abortion: Modified regimen (Burkman et al.), 328
Fallopian tube, human, response of, to ergonovine and methyl-ergonovine in vivo (Coutinho, Maia, and Nascimento), 48
and ovarian hydrocarbons (Singh et al.), 374
Familial allergic seminal vulvovaginitis (Chang), 442
Fascia lata, composite vaginal vault suspension using (Ridley), 590
Feedback control system, negative and positive, apparent paradox of, on gonadotropin secretion (Yen and Lein), 942
Fertility in women with gonadal dysgenesis (Reyes, Koh, and Faiman), 668
Fetal bradycardia, moderate (Young and Weinstein), 271
cardiac performance, acute effects of maternal ethanol infusion on (Kirkpatrick et al.), 1034
distress, assessment of, by urinary estriol and circulating human placental lactogen and alpha-fetoprotein levels: Toxemia of pregnancy (Garoff and Seppälä), 1027
effects, maternal and, of lumbar epidural analgesia for labor and delivery in patients with gestational hypertension (James and Davies), 195
electrocardiography, significance of, in diagnosis of intrauterine bradyarrhythmia (Abinader et al.), 266
electrode, spiral, complication of: Scalp abscess (Winkel, Snyder, and Schlaerth), 720
growth patterns, three, predictive of, leading to closer assessment of gestational age and neonatal weight, II. Sonar biparietal diameter (Sabbagha et al.), 485
standard of, for United States of America (Brenner, Edelman, and Hendricks), 555
heart block, congenital complete, antepartum detection of: Case report (Armstrong et al.), 291 (Comm. in brief)
rate monitoring, nonstressed, in antepartum period (Rochard et al.), 699
transient acceleration of, umbilical vein occlusion and (James et al.), 276
and uterine activity studies, antepartum. I. Preliminary report of accelerations and oxytocin challenge test (Fox, Steinbrecher, and Ripton), 61
immune response following prematurely ruptured membranes (Cederqvist et al.), 321
intensive care, controlled trial of (Renou et al.), 470
lipids, rabbit, incorporation of ^{14}C-1-palmitate into, in vivo (Biezenski), 356
and maternal lymphocytes, effect of promethazine hydrochloride on (Gusdon and Herbst). 730 (Comm. in brief)
serum, metabolites of meperidine in (Morrison et al.), 997
monitoring, antepartum and intrapartum, current practices in (Dilts), 491
during cesarean section (de Marinis, Leighton, and Johnson), 738 (Comm. in brief)

Fetal—Cont'd
gonococcal sepsis secondary to (Thadepalli et al.), 510 (Comm. in brief)
movement, human, classification of (Timor-Tritsch et al.), 70
thyroid function, adverse effect of amniofetography on (Rodesch et al.), 723 (Current investigation)
Fetoprotein, alpha-, levels, urinary estriol and circulating human placental lactogen and, assessment of fetal distress by: Toxemia of pregnancy (Garoff and Seppälä), 1027
Fetoscopy, prenatal diagnosis by, with subsequent normal delivery: Report of case (Benzie et al.), 287 (Comm. in brief)
Fetus(es), abruptio placentae in rhesus monkey causing brain damage to (Myers and Brann), 1048 (Comm. in brief)
adrenocortical-related maturational events in (Liggins), 931
amniotic fluid, and mother, dynamics of adenosine-3',5'-monophosphate transfer among, in rhesus monkey (Ling et al.), 1016
coexistent living, hydatidiform mole and eclampsia with, in second trimester of pregnancy (Sicuranza and Tisdall), 513 (Comm. in brief)
hydatidiform mole combined with: Extended diagnostic arsenal (Defoort, Dhont, and Thiery), 1049 (Comm. in brief)
needle puncture of: Complication of second-trimester amniocentesis (Broome et al.), 247
newborn infant, and pregnant woman, mercury toxicity in (Koos and Longo), 390 (Current developments)
saline-aborted, placental cultures for cytogenetic assessment in (Gardner, Wood, and Stecker), 350
sheep, circulatory response to atropine in (Ikenoue, Quilligan, and Murata), 253
Fibroids, submucus, excision of, with hysteroscopic control (Neuwirth and Amin), 95
Fistula, rectouterine, associated with Cu-7 intrauterine contraceptive device (Patchell), 292 (Comm. in brief)
Flora, aerobic and anaerobic, of cervix during pregnancy and puerperium (Goplerud, Ohm, and Galask), 858
Flow, pressure-, relationships, uterine, during early gestation (Greiss, Anderson, and Still), 799
Fluid, amniotic, mother, and fetus, dynamics of adenosine-3',5'-monophosphate transfer among, in rhesus monkey (Ling et al.), 1016
primary prostaglandins in, in pregnancy and spontaneous labor (Dray and Frydman), 13
bilirubin analysis, accurate amniotic, from "bloody tap" (Hochberg, Witheiler, and Cook), 531
isoamylases, peritoneal, in acute salpingitis, II. Amylases of genital tract (Weström, Skude, and Mardh), 657
peritoneal, genital tract tissue homogenates and, isoamylases of, I. Amylases of genital tract (Skude, Mardh, and Weström), 652
Follicular cyst, hormonal evaluation of premature menarche produced by (Wieland et al.), 731 (Comm. in brief)
Fractionated estrogens and pituitary hormones, plasma levels of, in endometrial carcinoma (Benjamin and Deutsch), 638
Fulguration, laparoscopic, of endometriotic implant, ureteral injury resulting from (Cheng), 1045 (Comm. in brief)

G

Genital tract, amylases of. I. Isoamylases of genital tract tissue homogenates and peritoneal fluid (Skude, Mårdh, and Weström), 652
II. Peritoneal fluid isoamylases in acute salpingitis (Weström, Skude, and Mårdh), 657
Gestation, early, uterine pressure-flow relationships during (Greiss, Anderson, and Still), 799
Gestational age and neonatal weight, closer assessment of, predictive of three fetal growth patterns leading to, II. Sonar biparietal diameter (Sabbagha et al.), 485
hypertension, maternal and fetal effects of lumbar epidural analgesia for labor and delivery in patients with (James and Davies), 195
Gland, mammary, of rat, interaction of progesterone and adrenocorticoids in ultrastructural development of (Wynn, Harris, and Chatterton), 920
Gonadal dysgenesis with dysgerminoma, cytogenetic studies in (Psaroudakis et al.), 508 (Comm. in brief)
fertility in women with (Reyes, Koh, and Faiman), 668
Gonadoblastoma: Clinicopathologic correlation in six patients (Williamson et al.), 579
Gonadotropin, human chorionic, carcinoembryonic antigen, and human placental lactogen, significance of measurement of, in patients with ovarian carcinoma (Samaan et al.), 186
human placental lactogen and, serum levels of, in early pregnancy: Maturational index of placenta (Peeters et al.), 707
levels, serum human chorionic, throughout normal pregnancy (Braunstein et al.), 678
vasomotor symptoms, and serum estrogens in surgical menopause (Aksel et al.), 165
secretion, apparent paradox of negative and positive feedback control system on (Yen and Lein), 942
Gonococcal endocervicitis, endometritis-salpingitis-peritonitis and, cul-de-sac isolates from patients with (Monif et al.), 158
salpingitis in pregnancy (Genadry, Thompson, and Niebyl), 512 (Comm. in brief)
sepsis secondary to fetal monitoring (Thadepalli et al.), 510 (Comm. in brief)
Gonorrhea, untreated endocervical, and endometritis following elective abortion (Burkman et al.), 648
Gonorrhoeae, Neisseria, effect of vaginal lubricants on (Singh and Cutler), 365
Growth differences, percentile, in two normal populations, analysis of, using same methodology, I. Sonar biparietal diameter (Sabbagha, Barton, and Barton), 479
fetal, standard of, for United States of America (Brenner, Edelman, and Hendricks), 555
hormone secretion, prolactin and, effect of L-dopa and chlorpromazine on, in normal women (Leblanc and Yen), 162
retardation, intrauterine, antibody-coated bacteria, and renal function: Asymptomatic bacteriuria in pregnancy (Harris, Thomas, and Shelokov), 20
patterns, three fetal, predictive of, leading to closer assessment of gestational age and neonatal weight, II. Sonar biparietal diameter (Sabbagha et al.), 485
Gustavii's lysosomal hypothesis, modification of: Mechanism of midtrimester abortion induced by intra-amniotic instillation of hypertonic saline (Honoré), 1011
Gynecologic disease in young, sexually active women (Roddick), 880
Gynecologists, obstetrician-, are primary physicians to women. I. Practice patterns of Michigan obstetrician-gynecologists (Willson and Burkons), 627 (Clinical opinion)
II. Education for new role (Willson and Burkons), 744
Gynecology, obstetrics and, methodologic evolution in (Zander), 755
practice of, review of its importance in: Hepatitis B antigen (Babb), 602 (Current developments)

H

Haemophilus vaginalis (Corynebacterium vaginale) in women with leukorrhea (Josey, McKenzie, and Lambe), 574
Heart block, congenital complete fetal, antepartum detection of: Case report (Armstrong et al.), 291 (Comm. in brief)
rate, blood pressure, and uterine activity, effect of ritodrine on, in pregnant sheep: Combined use of alpha or beta blockade (Siimes and Creasy), 1003
fetal, transient acceleration of, umbilical vein occlusion and (James et al.), 276
and uterine activity studies, antepartum. I. Preliminary report of accelerations and oxytocin challenge test (Fox, Steinbrecher, and Ripton), 61
monitoring, nonstressed fetal, in antepartum period (Rochard et al.), 699
Hemangiomas, massive, and lymphangiomas causing dystocia (Nelson and Gabbe), 1044 (Comm. in brief)
Hepatitis B antigen: Review of its importance in practice of obstetrics and gynecology (Babb), 602 (Current developments)
Hermaphroditism, true (van Niekerk), 890
Herpes simplex, adeno-associated satellite virus and, antibodies to, in sera from cancer patients and normal adults (Mayor et al.), 100
Herpesvirus, Type 2, virucidal effect of certain chemical contraceptives on (Singh, Postic, and Cutler), 422

Homogenates, genital tract tissue, and peritoneal fluid, isoamylases of, I. Amylases of genital tract (Skude, Mårdh, and Weström), 652
Hormonal evaluation of premature menarche produced by follicular cyst (Wieland et al.), 731 (Comm. in brief)
Hormone(s), growth, secretion, prolactin and, effect of L-dopa and chlorpromazine on, in normal women (Leblanc and Yen), 162
human placental lactogen, in serum, prognostic and diagnostic value of total estriol in urine and in serum and of, in last part of pregnancy (Trolle, Bock, and Gæde), 834
pituitary, fractionated estrogens and, plasma levels of, in endometrial carcinoma (Benjamin and Deutsch), 638
Hospital-acquired maternal infection, relationship of, to invasive intrapartum monitoring techniques (Gassner and Ledger), 33
population, selected, new, more sensitive tube test for pregnancy evaluated with (Lang and Reiss), 693
Hydatidiform mole combined with fetus: Extended diagnostic arsenal (Defoort, Dhont, and Thiery), 1049 (Comm. in brief)
and eclampsia with coexistent living fetus in second trimester of pregnancy (Sicuranza and Tisdall), 513 (Comm. in brief)
Hydrocarbons, ovarian, Fallopian tube and (Singh et al.), 374
Hydrocephalus, perinatal, rational management of (Ferry and Pernoll), 151 (Clinical opinion)
Hydrochloride, promethazine, effect of, on fetal and maternal lymphocytes (Gusdon and Herbst), 730 (Comm. in brief)
Hyperplasia, adenomatous, and adenocarcinoma of endometrium, cellular hypersensitivity in patients with (Chen, Cohen, and Koffler), 370
Hypersensitivity, cellular, in patients with adenomatous hyperplasia and adenocarcinoma of endometrium (Chen, Cohen, and Koffler), 370
Hypertension, gestational, maternal and fetal effects of lumbar epidural analgesia for labor and delivery in patients with (James and Davies), 195
oral contraceptive–induced—Nine years later (Laragh), 141 (Current developments)
primary pulmonary, of newborn, maternal indomethacin therapy and, possible association between (Manchester, Margolis, and Sheldon), 467
Hypertensive human pregnancy, normotensive and, systolic time intervals in (Lim and Walters), 26
Hypertonic saline, mechanism of midtrimester abortion induced by intra-amniotic instillation of: Modification of Gustavii's lysosomal hypothesis (Honoré), 1011
Hypogonadism, hypogonadotropic, ovarian morphology in women with anosmia and (Goldenberg et al.), 91
Hypogonadotropic hypogonadism, ovarian morphology in women with anosmia and (Goldenberg et al.), 91
Hysterectomy, vaginal, pelvic infection following, effect of prophylactic ampicillin on (Glover and van Nagell), 385
Hysterosalpingographic follow-up of laparoscopic sterilization (Sheikh), 181
Hysteroscopic control, excision of submucus fibroids with hysteroscopic control (Neuwirth and Amin), 95

I

Iatrogenic intravesical foreign body following Marshall-Marchetti procedure (Seski), 514 (Comm. in brief)
Idiopathic thrombocytopenic purpura, management of pregnant patient with (Murray and Harris), 449
Immune response(s), circulatory and cellular, to squamous cell carcinoma of uterine cervix (Chiang, Wei, and Alexander), 116
fetal, following prematurely ruptured membranes (Cederqvist et al.), 321
Immunity, active, against placental proteins, effect of, on pregnancy in monkeys (Gusdon), 308
Immunologic studies in patients with trophoblastic neoplasia (Tomoda et al.), 661
Indomethacin therapy, maternal, and primary pulmonary hypertension of newborn, possible association between (Manchester, Margolis, and Sheldon), 467
Infant, newborn, pregnant woman, and fetus, mercury toxicity in (Koos and Longo), 390 (Current developments)
Infarction, myocardial, cigarette smoking, and use of oral contraceptives (Jain), 301 (Clinical opinion)
Infection(s), hospital-acquired maternal, relationship of, to invasive intrapartum monitoring techniques (Gassner and Ledger), 33
pelvic, following vaginal hysterectomy effect of prophylactic ampicillin on (Glover and van Nagell), 385
suspected anaerobic postpartum pelvic, new approach to patients with. Transabdominal uterine aspiration for culture and metronidazole for treatment (Ledger et al.), 1
Inflammatory pseudotumor, pelvic: Case report (Kunakemakorn, Ontai, and Balin), 287 (Comm. in brief)
Injury, ureteral, resulting from laparoscopic fulguration of endometriotic implant (Cheng), 1045 (Comm. in brief)
Intensive care, fetal, controlled trial of (Renou et al.), 470
Intra-amniotic instillation of hypertonic saline, mechanism of midtrimester abortion induced by: Modification of Gustavii's lysosomal hypothesis (Honoré), 1011
urea and prostaglandin $F_{2\alpha}$ for midtrimester abortion: Modified regimen (Burkman et al.), 328
Intraepithelial neoplasia of uterine cervix, carcinoembryonic antigen in (van Nagell et al.), 105
Intrapartum blood volume changes, VII. Maternal cardiovascular dynamics (Ueland), 671
fetal monitoring, antepartum and, current practices in (Dilts), 491
monitoring techniques, invasive, relationship of hospital-acquired maternal infection to (Gassner and Ledger), 33
Intrauterine bradyarrhythmia, significance of fetal electrocardiography in diagnosis of (Abinader et al.), 266
contraceptive device, copper-7, clinical experience with (Nebel, Currie, and Lassiter), 586
management and outcome of pregnancies associated with (Tatum, Schmidt, and Jain), 869
Cu-7, rectouterine fistula associated with (Patchell), 292 (Comm. in brief)
performance, factors affecting. I. Endometrial cavity length (Hasson, Berger, and Edelman), 973
growth retardation, antibody-coated bacteria, and renal function: Asymptomatic bacteriuria in pregnancy (Harris, Thomas, and Shelokov), 20
Intravenous alcohol administration, effect of, maternal oxytocin release during human labor and, observations on (Gibbens and Chard), 243
oxytocin, oral prostaglandin E_2 and, comparison of, for induction of labor in normal and high-risk pregnancies (Nelson and Bryans), 549
Intravesical foreign body, iatrogenic, following Marshall-Marchetti procedure (Seski), 514 (Comm. in brief)
Invasive intrapartum monitoring techniques, relationship of hospital-acquired maternal infection to (Gassner and Ledger), 33
Isoamylases of genital tract tissue homogenates and peritoneal fluid, I. Amylases of genital tract (Skude, Mårdh, and Weström), 652
peritoneal fluid, in acute salpingitis, II. Amylases of genital tract (Weström, Skude, and Mardh), 657
Isolation, technique, treatment, and incidence of group B streptococci in obstetric patients (Gordon and Sbarra), 1023
Items, 148-150, 410, 626

L

L-dopa and chlorpromazine, effect of, on prolactin and growth hormone secretion in normal women (Leblanc and Yen), 162
Labeled, ^{15}N-, nitrate, abnormality in metabolism of, in toxemia (McLaren, Mroueh, and Read), 339
Labor and delivery, lumbar epidural analgesia for, maternal and fetal effects of, in patients with gestational hypertension (James and Davies), 195
human, maternal oxytocin release during, and effect of intravenous alcohol administration, observations on (Gibbens and Chard), 243
induction of, in high-risk pregnancies, comparison of oral prostaglandin E_2 and intravenous oxytocin for (Nelson and Bryans), 549
measurement of pre-ejection period during, with use of arterial pulse time (Bernstein et al.), 238
spontaneous, pregnancy and, primary prostaglandins in amniotic fluid in (Dray and Frydman), 13
ultrasonic measurement of cervical dilatation during (Kok, Wallenburg, and Wladimiroff), 288 (Comm. in brief)

Lactogen, circulating human placental, and alpha-fetoprotein levels, urinary estriol and, assessment of fetal distress by: Toxemia of pregnancy (Garoff and Seppälä), 1027
hormone, human placental, in serum, prognostic and diagnostic value of total estriol in urine and in serum and of, in last part of pregnancy (Trolle, Bock, and Gæde), 834
human placental, human chorionic gonadotropin, and carcinoembryonic antigen, significance of measurement of, in patients with ovarian carcinoma (Samaan et al.), 186
serum levels of, in early pregnancy: Maturational index of placenta (Peeters et al.), 707
Laminaria, ultrasound localization of (Lee and Barnett), 293 (Comm. in brief)
Laparoscopic fulguration of endometriotic implant, ureteral injury resulting from (Cheng), 1045 (Comm. in brief)
sterilization, combined outpatient, with therapeutic abortion (Powe and McGee), 565
hysterosalpingographic follow-up of (Sheikh), 181
torsion of oviduct following (Shapiro, Hughes, and Adler), 733 (Comm. in brief)
vision, tubal sterilization by silicone rubber banding under, unusual complication of (Esposito), 507 (Comm. in brief)
Laparoscopist and electrosurgery (Esposito), 633 (Clinical opinion)
Lata, fascia, composite vaginal vault using (Ridley), 590
Lecithin/sphingomyelin ratios, mature, respiratory distress syndrome with: Diabetes mellitus and low Apgar scores (Cruz et al.), 78
Leiomyoma of uterine tube: Report of case (Crissman and Handwerker), 1046 (Comm. in brief)
Leukorrhea, *Corynebacterium vaginale (Haemophilus vaginalis)* in women with (Josey, McKenzie, and Lambe), 574
Lidocaine, human uterine artery responses to (Gibbs and Noel), 313
Lipids, rabbit fetal, incorporation of ^{14}C-1-palmitate into, in vivo (Biezenski), 356
Listeriosis during pregnancy (Hwang), 285 (Comm. in brief)
Live births, reported, following induced abortion: Two and one-half years' experience in Upstate New York (Stroh and Hinman), 83
Liver, spontaneous rupture of, in pregnancy: Report of eight cases (Hibbard), 334
Local anesthetics, response of human uterine arteries to (Cibils), 202
Lubricants, vaginal, effect of, on *Neisseria gonorrhoeae* (Singh and Cutler), 365
Lumbar epidural analgesia for labor and delivery, maternal and fetal effects of, in patients with gestational hypertension (James and Davies), 195
Lymphangiomas, massive hemangiomas and, causing dystocia (Nelson and Gabbe), 1044 (Comm. in brief)
Lymphocytes, fetal and maternal, effect of promethazine hydrochloride on (Gusdon and Herbst), 730 (Comm. in brief)
Lysosomal hypothesis, Gustavii's, modification of: Mechanism of midtrimester abortion induced by intra-amniotic instillation of hypertonic saline (Honoré), 1011

M

Mammary gland of rat, interaction of progesterone and adrenocorticoids in ultrastructural development of (Wynn, Harris, and Chatterton), 920
Marchetti, Marshall-, procedure, iatrogenic intravesical foreign body following (Seski), 514 (Comm. in brief)
Marshall-Marchetti procedure, iatrogenic intravesical foreign body following (Seski), 514 (Comm. in brief)
Maternal cardiovascular dynamics, VII. Intrapartum blood volume changes (Ueland), 671
consequences, long-term, placental function and renal tract studies in pre-eclampsia with proteinuria and (Fliegner), 211
deaths in Texas, 1969 to 1973 (Gibbs and Locke), 687
ethanol infusion, acute effects of, on fetal cardiac performance (Kirkpatrick et al.), 1034
and fetal effects of lumbar epidural analgesia for labor and delivery in patients with gestational hypertension (James and Davies), 195
indomethacin therapy and primary pulmonary hypertension of newborn, possible association between (Manchester, Margolis, and Sheldon), 467
infection, hospital-acquired, relationship of, to invasive intrapartum monitoring techniques (Gassner and Ledger), 33
Maternal—Cont'd
lymphocytes, fetal and, effect of promethazine hydrochloride on (Gusdon and Herbst), 730 (Comm. in brief)
serum, fetal and, metabolites of meperidine in (Morrison et al.), 997
Maturational events, adrenocortical-related, in fetus (Liggins), 931
index of placenta: Serum levels of human placental lactogen and human chorionic gonadotropin in early pregnancy (Peeters et al.), 707
Mature lecithin/sphingomyelin ratios, respiratory distress syndrome with: Diabetes mellitus and low Apgar scores (Cruz et al.), 78
Meconium aspiration syndrome, combined obstetric and pediatric approach to prevent (Carson et al.), 712
Medical care, alternate system of: Evolution of women's clinic (Gray and Tyson), 760
Mellitus, diabetes, and low Apgar scores: Respiratory distress syndrome with mature lecithin/sphingomyelin ratios (Cruz et al.), 78
Membranes, prematurely ruptured, fetal immune response following (Cederqvist et al.), 321
Menarche, premature, produced by follicular cyst, hormonal evaluation of (Wieland et al.), 731 (Comm. in brief)
Menopause, surgical, vasomotor symptoms, serum estrogens, and gonadotropin levels in (Aksel et al.), 165
Menstrual cycle, normal, effects of dexamethasone on plasma free androgens during (Kim, Rosenfield, and Dupon), 982
spontaneous contractility and response of human uterine cervix to prostaglandins $F_{2\alpha}$ and E_2 during (Coutinho and Darzé), 224
Menstruation, induction of, with bromocryptine in patients with euprolactinemic amenorrhea (Tolis and Naftolin), 426
Meperidine, metabolites of, in fetal and maternal serum (Morrison et al.), 997
Mercury toxicity in pregnant woman, fetus, and newborn infant (Koos and Longo), 390 (Current developments)
Metabolism of ^{15}N-labeled nitrate, abnormality in, in toxemia (McLaren, Mroueh, and Read), 339
of oral contraceptive drugs (Mills et al.), 987
Metabolites of meperidine in fetal and maternal serum (Morrison et al.), 997
Metastases, recurrence and, radiation therapy for: Dysgerminoma of ovary (Afridi et al.), 190
Methyl-ergonovine, ergonovine and, response of human Fallopian tube to, in vivo (Coutinho, Maia, and Nascimento), 48
Metronidazole for treatment, transabdominal uterine aspiration for culture and. New approach to patients with suspected anaerobic postpartum pelvic infections (Ledger et al.), 1
Michigan obstetrician-gynecologists, practice patterns of, I. Obstetrician-gynecologists are primary physicians to women (Wilson and Burkons), 627 (Clinical opinion)
Microadenoma, prolactin-secreting pituitary, diagnosis of (Wiebe, Hammond, and Borchert), 993
Microcirculation of rat placenta (Lee and Dempsey), 495
Microinvasion, exclusive of (radical pelvic surgery versus radiation therapy for Stage I carcinoma of cervix) (Morley and Seski), 785
Microscopic studies, scanning and transmission electron, of vaginal adenosis and cervical transformation zone in progeny exposed in utero to diethylstilbestrol (Fenoglio et al.), 170
Midtrimester abortion induced by intra-amniotic instillation of hypertonic saline, mechanism of: Modification of Gustavii's lysosomal hypothesis (Honoré), 1011
intra-amniotic urea and prostaglandin $F_{2\alpha}$ for: Modified regimen (Burkman et al.), 328
Mole, hydatidiform, combined with fetus: Extended diagnostic arsenal (Defoort, Dhont, and Thiery), 1049 (Comm. in brief)
and eclampsia with coexistent living fetus in second trimester of pregnancy (Sicuranza and Tisdall), 513 (Comm. in brief)
Monitoring, fetal, antepartum and intrapartum, current practices in (Dilts), 491
during cesarean section (de Marinis, Leighton, and Johnson), 738 (Comm. in brief)
gonococcal sepsis secondary to (Thadepalli et al.), 510 (Comm. in brief)
nonstressed fetal heart rate, in antepartum period (Rochard et al.), 699
techniques, invasive intrapartum, relationship of hospital-acquired maternal infection to (Gassner and Ledger), 33

Monophosphate, adenosine-3',5'-, transfer, dynamics of, among mother, fetus, and amniotic fluid in rhesus monkey (Ling et al.), 1016
Morphology, ovarian, in women with anosmia and hypogonadotropic hypogonadism (Goldenberg et al.), 91
Mother, fetus, and amniotic fluid, dynamics of adenosine-3',5'-monophosphate transfer among, in rhesus monkey (Ling et al.), 1016
Movement, human fetal, classification of (Timor-Tritsch et al.), 70
Multiparous patient, uterine activity in (Huey, Al-Hadjiev, and Paul), 682
Myocardial infarction, cigarette smoking, and use of oral contraceptives (Jain), 301 (Clinical opinion)

N

^{15}N-labeled nitrate, abnormality in metabolism of, in toxemia (McLaren, Mroueh, and Read), 339
Needle puncture of fetus: Complication of second-trimester amniocentesis (Broome et al.), 247
Neisseria gonorrhoeae, effect of vaginal lubricants on (Singh and Cutler), 365
Neonatal respiratory distress following elective delivery. Preventable disease? (Hack et al.), 43
  weight, gestational age and, closer assessment of, predictive of three fetal growth patterns leading to, II. Sonar biparietal diameter (Sabbagha et al.), 485
Neoplasia, intraepithelial, of uterine cervix, carcinoembryonic antigen in (van Nagell et al.), 105
  trophoblastic, immunologic studies in patients with (Tomoda et al.), 661
New York, Upstate, two and one-half years' experience in: Reported live births following induced abortion (Stroh and Hinman), 83
Newborn infant, pregnant woman, and fetus, mercury toxicity in (Koos and Longo), 390 (Current developments)
  primary pulmonary hypertension of, maternal indomethacin therapy and, possible association between (Manchester, Margolis, and Sheldon), 467
Nitrate, ^{15}N-labeled, abnormality in metabolism of, in toxemia (McLaren, Mroueh, and Read), 339
Nonstressed fetal heart rate monitoring in antepartum period (Rochard et al.), 699
Normotensive and hypertensive human pregnancy, systolic time intervals in (Lim and Walters), 26

O

Obstetric(s) and gynecology, methodologic evolution in (Zander), 755
  practice of, review of its importance in: Hepatitis B antigen (Babb), 602 (Current developments)
  patients, incidence, technique of isolation, and treatment of group B streptococci in (Gordon and Sbarra), 1023
  and pediatric approach, combined, to prevent meconium aspiration syndrome (Carson et al.), 712
  present-day, cesarean section in (Jones), 521
Obstetrician-gynecologists are primary physicians to women. I. Practice patterns of Michigan obstetrician-gynecologists (Willson and Burkons), 627 (Clinical opinion)
  II. Education for new role (Willson and Burkons), 744
Occlusion, umbilical vein, and transient acceleration of fetal heart rate (James et al.), 276
Offspring, diethylstilbestrol-exposed, cancer risk in (Mattingly and Stafl), 543
Operation, uterine, termination of pregnancy and, colonic pseudo-obstruction following (Spira and Wolff), 7
Oral cleft incidence, congenital, changes in, in relation to induced abortions (Polednak and Oski), 734 (Comm. in brief)
  contraceptive(s), choice of (Langer et al.), 153 (Clinical opinion)
    drugs, metabolism of (Mills et al.), 987
    -induced hypertension—Nine years later (Laragh), 141 (Current developments)
    use, evaluation of emotional reactions to (Kane), 968 (Clinical opinion)
    myocardial infarction, and cigarette smoking (Jain), 301 (Clinical opinion
  prostaglandin E_2 and intravenous oxytocin, comparison of, for induction of labor in normal and high-risk pregnancies (Nelson and Bryans), 549
Outpatient evaluation of patients with atypical Papanicolaou smears: Contribution of endocervical curettage (Shingleton, Gore, and Austin), 122
  laparoscopic sterilization, combined, with therapeutic abortion (Powe and McGee), 565
Ovarian carcinoma, significance of measurement of human placental lactogen, human chorionic gonadotropin, and carcinoembryonic antigen in patients with (Samaan et al.), 186
  cystadenocarcinoma, amylase-containing, simulating pancreatic pseudocyst (Joseph et al.), 515 (Comm. in brief)
  hydrocarbons, Fallopian tube and (Singh et al.), 374
  morphology in women with anosmia and hypogonadotropic hypogonadism (Goldenberg et al.), 91
Ovary, dysgerminoma of: Radiation therapy for recurrence and metastases (Afridi et al.), 190
Oviduct, torsion of, following laparoscopic sterilization (Shapiro, Hughes, and Adler), 733 (Comm. in brief)
Ovulatory and anovulatory cycles, plasma testosterone and dihydrotestosterone in (Dawood and Saxena), 430
Oxygen consumption, V. In vitro perfusion of human placenta (Challier, Schneider, and Dancis), 261
Oxytocin challenge test, accelerations and, preliminary report of, I. Antepartum fetal heart rate and uterine activity studies (Fox, Steinbrecher, and Ripton), 61
  intravenous, oral prostaglandin E_2 and, comparison of, for induction of labor in normal and high-risk pregnancies (Nelson and Bryans), 549
  release, maternal, during human labor and effect of intravenous alcohol administration, observations on (Gibbens and Chard), 243

P

Palmitate, ^{14}C-1-, incorporation of, into rabbit fetal lipids in vivo (Biezenski), 356
Papanicolaou smears, atypical, outpatient evaluation of patients with: Contribution of endocervical curettage (Shingleton, Gore, and Austin), 122
Pediatric approach, combined obstetric and, to prevent meconium aspiration syndrome (Carson et al.), 712
Pelvic cancer priorities (Stallworthy), 777
  infection(s) following vaginal hysterectomy, effect of prophylactic ampicillin on (Glover and van Nagell), 385
    suspected anaerobic postpartum, new approach to patients with. Transabdominal uterine aspiration for culture and metronidazole for treatment (Ledger et al.), 1
  inflammatory pseudotumor: Case report (Kunakemakorn, Ontai, and Balin), 287 (Comm. in brief)
  relaxation, new look at (Richardson, Lyon, and Williams), 568
  surgery, radical, versus radiation therapy for Stage I carcinoma of cervix (exclusive of microinvasion) (Morley and Seski), 785
Pelvimetry technique, Ball, prerecorded program for (Friedman), 477
Perfusion, in vitro, of human placenta. V. Oxygen consumption (Challier, Schneider, and Dancis), 261
Perinatal hydrocephalus, rational management of (Ferry and Pernoll), 151 (Clinical opinion)
Peritoneal fluid, genital tract tissue homogenates and, isoamylases of, I. Amylases of genital tract (Skude, Mårdh, and Weström), 652
    isoamylases in acute salpingitis, II. Amylases of genital tract (Weström, Skude, and Mårdh), 657
Peritonitis, endometritis-salpingitis-, and gonococcal endocervicitis, cul-de-sac isolates from patients with (Monif et al.), 158
Physicians, primary, obstetrician-gynecologists are, to women. I. Practice patterns of Michigan obstetrician-gynecologists (Willson and Burkons), 627 (Clinical opinion)
  II. Education for new role (Willson and Burkons), 744
Pituitary hormones, fractionated estrogens and, plasma levels of, in endometrial carcinoma (Benjamin and Deutsch), 638
  microadenoma, prolactin-secreting, diagnosis of (Wiebe, Hammond, and Borchert), 993
Placenta, human, in vitro perfusion of. V. Oxygen consumption (Challier, Schneider, and Dancis), 261
  maturational index of: Serum levels of human placental lactogen and human chorionic gonadotropin in early pregnancy (Peeters et al.), 707
  rat, microcirculation of (Lee and Dempsey), 495
Placentae, abruptio, in rhesus monkey causing brain damage to fetus (Myers and Brann), 1048 (Comm. in brief)

Placental cultures for cytogenetic assessment in saline-aborted fetuses (Gardner, Wood, and Stecker), 350
function and renal tract studies in pre-eclampsia with proteinuria and long-term maternal consequences (Fliegner), 211
lactogen, circulating human, and alpha-fetoprotein levels, urinary estriol and, assessment of fetal distress by: Toxemia of pregnancy (Garoff and Seppälä), 1027
hormone, human, in serum, prognostic and diagnostic value of total estriol in urine and in serum and of, in last part of pregnancy (Trolle, Bock, and Gæde), 834
human, human chorionic gonadotropin, and carcinoembryonic antigen, significance of measurement of, in patients with ovarian carcinoma (Samaan et al.), 186
serum levels of, in early pregnancy: Maturational index of placenta (Peeters et al.), 707
prostaglandin levels in pre-eclampsia (Demers and Gabbe), 137 (Current investigation)
proteins, effect of active immunity against, on pregnancy in monkeys (Gusdon), 308
steroid sulfatase deficiency, prenatal diagnosis of (Braunstein et al.), 716
Plasma free androgens, effects of dexamethasone on, during normal menstrual cycle (Kim, Rosenfield, and Dupon), 982
levels of fractionated estrogens and pituitary hormones in endometrial carcinoma (Benjamin and Deutsch), 638
testosterone and dihydrotestosterone in ovulatory and anovulatory cycles (Dawood and Saxena), 430
Postpartum pelvic infections, suspected anaerobic, new approach to patients with. Transabdominal uterine aspiration for culture and metronidazole for treatment (Ledger et al.), 1
sexual abstinence time, decreasing (Richardson et al.), 416 (Clinical opinion)
Pre-eclampsia, placental prostaglandin levels in (Demers and Gabbe), 137 (Current investigation)
with proteinuria, placental function and renal tract studies in, and long-term maternal consequences (Fliegner), 211
Pre-ejection period, measurement of, during labor with use of arterial pulse time (Bernstein et al.), 238
Pregnancy (pregnancies), abnormal adolescent primiparous: Association of race, human chorionic somatomammotropin production, and smoking (Hollingsworth et al.), 230
associated with Copper T intrauterine contraceptive device, management and outcome of (Tatum, Schmidt, and Jain), 869
asymptomatic bacteriuria in: Antibody-coated bacteria, renal function, and intrauterine growth retardation (Harris, Thomas, and Shelokov), 20
development of rabbit test for (Friedman), 728 (Classic pages)
drug-addiction, urinary amine alterations in (Zuspan), 955
early, serum levels of human placental lactogen and human chorionic gonadotropin in: Maturational index of placenta (Peeters et al.), 707
effect of active immunity against placental proteins on, in monkeys (Gusdon), 308
gonococcal salpingitis in (Genadry, Thompson, and Niebyl), 512 (Comm. in brief)
influence of blood pressure changes with and without proteinuria upon outcome of (Page and Christianson), 821
listeriosis during (Hwang), 285 (Comm. in brief)
new, more sensitive tube test, evaluated with selected hospital population (Lang and Reiss), 693
normal and high-risk, induction of labor in, comparison of oral prostaglandin E_2 and intravenous oxytocin for (Nelson and Bryans), 549
human, at term, renal clearances of estriol conjugates in (Young et al.), 38
serum human chorionic gonadotropin levels throughout (Braunstein et al.), 678
normotensive and hypertensive human, systolic time intervals in (Lim and Walters), 26
outcome, suboptimal, among women with prior abortions and premature births (Funderburk, Guthrie, and Meldrum), 55
progesterone levels and, critical control of, by antiprogesterone (Csapo and Erdos), 598 (Current developments)
prognostic and diagnostic value of total estriol in urine and in serum and of human placental lactogen hormone in serum in last part of (Trolle, Bock, and Gæde), 834
and puerperium, aerobic and anaerobic flora of cervix during (Goplerud, Ohm, and Galask), 858
renal disease in (Beller et al.), 845
Pregnancy—Cont'd
second trimester of, hydatidiform mole and eclampsia with coexistent living fetus in (Sicuranza and Tisdall), 513 (Comm. in brief)
sexual experimentation and, in young black adolescents (Gispert and Falk), 459
and spontaneous labor, primary prostaglandins in amniotic fluid in (Dray and Frydman), 13
rupture of liver in: Report of eight cases (Hibbard), 334
termination of, and uterine operation, colonic pseudo-obstruction following (Spira and Wolff), 7
toxemia of: Assessment of fetal distress by urinary estriol and circulating human placental lactogen and alpha-fetoprotein levesl (Garoff and Seppälä), 1027
twin, screening for detecting (Mägiste et al.), 697
Pregnant patient with idiopathic thrombocytopenic purpura, management of (Murray and Harris), 449
sheep, effect of propranolol infusion on umbilical and uterine circulations of (Oakes et al.), 1038
ritodrine infusion on uterine and umbilical blood flow in (Ehrenkranz et al.), 343
on uterine activity, heart rate, and blood pressure in: Combined use of alpha or beta blockade (Siimes and Creasy), 1003
woman, fetus, and newborn infant, mercury toxicity in (Koos and Longo), 390 (Current developments)
Premature births, prior abortions and, suboptimal pregnancy outcome among women with (Funderburk, Guthrie, and Meldrum), 55
menarche produced by follicular cyst, hormonal evaluation of (Wieland et al.), 731 (Comm. in brief)
Prematurely ruptured membranes, fetal immune response following (Cederqvist et al.), 321
Prematurity, prevention of (Fuchs), 809
prenatal diagnosis by fetoscopy with subsequent normal delivery: Report of case (Benzie et al.), 287 (Comm. in brief)
of placental steroid sulfatase deficiency (Braunstein et al.), 716
Prepartum diagnosis of conjoined twins by use of diagnostic ultrasound (Wilson, Cetrulo, and Shaub), 737 (Comm. in brief)
Pressure, blood, uterine activity, and heart rate, effect of ritodrine on, in pregnant sheep: Combined use of alpha or beta blockade (Siimes and Creasy), 1003
changes, blood, with and without proteinuria, influence of, upon outcome of pregnancy (Page and Christianson), 821
-flow relationships, uterine, during early gestation (Greiss, Anderson, and Still), 799
Primiparous pregnancy, abnormal adolescent: Association of race, human chorionic somatomammotropin production, and smoking (Hollingsworth et al.), 230
Progeny exposed in utero to diethylstilbestrol, scanning and transmission electron microscopic studies of vaginal adenosis and cervical transformation zone in (Fenoglio et al.), 170
Progestational activity of Danazol in human female subject (Wentz et al.), 374
Progesterone and adrenocorticoids, interaction of, in ultrastructural development of mammary gland of rat (Wynn, Harris, and Chatterton), 920
levels and pregnancy, critical control of, by antiprogesterone (Csapo and Erdos), 598 (Current developments)
Prognostic and diagnostic value of total estriol in urine and in serum and of human placental lactogen hormone in serum in last part of pregnancy (Trolle, Bock, and Gæde), 834
Prolactin and growth hormone secretion, effect of L-dopa and chlorpromazine on, in normal women (Leblanc and Yen), 162
-secreting pituitary microadenoma, diagnosis of (Wiebe, Hammond, and Borchert), 993
Promethazine hydrochloride, effect of, on fetal and maternal lymphocytes (Gusdon and Herbst), 730 (Comm. in brief)
Prophylactic ampicillin, effect of, on pelvic infection following vaginal hysterectomy (Glover and van Nagell), 385
antibiotics, bacteriologic effects of, in cesarean section (Gibbs and Weinstein), 226
Propranolol infusion, effect of, on umbilical and uterine circulations of pregnant sheep (Oakes et al.), 1038
Prostaglandin(s) E_2, oral, and intravenous oxytocin, comparison of, for induction of labor in normal and high-risk pregnancies (Nelson and Bryans), 549

Prostaglandin E_2—Cont'd
reduction of stretch modulus of human cervical tissue by (Conrad and Ueland), 218
$F_{2\alpha}$ and E, spontaneous contractility and response of human uterine cervix to, during menstrual cycle (Coutinho and Darzé), 224
intra-amniotic urea and, for midtrimester abortion: Modified regimen (Burkman et al.), 328
levels, placental, in pre-eclampsia (Demers and Gabbe), 137 (Current investigation)
primary, in amniotic fluid in pregnancy and spontaneous labor (Dray and Frydman), 13
Proteins, placental, effect of active immunity against, on pregnancy in monkeys (Gusdon), 308
Proteinuria, influence of blood pressure changes with and without, upon outcome of pregnancy (Page and Christianson), 821
pre-eclampsia with, placental function and renal tract studies in, and long-term maternal consequences (Fliegner), 211
Pseudo-obstruction, colonic, following termination of pregnancy and uterine operation (Spira and Wolff), 7
Pseudotumor, pelvic inflammatory: Case report (Kunakemakorn, Ontai, and Balin), 287 (Comm. in brief)
Puerperium, pregnancy and, aerobic and anaerobic flora of cervix during (Goplerud, Ohm, and Galask), 858
Pulmonary hypertension, primary, of newborn, maternal indomethacin therapy and, possible association between (Manchester, Margolis, and Sheldon), 467
Pulse time, arterial, measurement of pre-ejection period during labor with use of (Bernstein et al.), 238
Puncture, needle, of fetus: Complication of second-trimester amniocentesis (Broome et al.), 247
Purpura, idiopathic thrombocytopenic, management of pregnant patient with (Murray and Harris), 449
thrombotic thrombocytopenic, associated with pregnancy (May, Harbert, and Thornton), 452

R

Rabbit test for pregnancy, development of (Friedman), 728 (Classic pages)
Race, human chorionic somatomammotropin production, and smoking, association of: Abnormal adolescent primiparous pregnancy (Hollingsworth et al.), 230
Radiation therapy, radical pelvic surgery versus, for Stage I carcinoma of cervix (exclusive of microinvasion) (Morley and Seski), 785
for recurrence and metastases: Dysgerminoma of ovary (Afridi et al.), 190
Rectouterine fistula associated with Cu-7 intrauterine contraceptive device (Patchell), 292 (Comm. in brief)
Renal clearances of estriol conjugates in normal human pregnancy at term (Young et al.), 38
disease in pregnancy (Beller et al.), 845
function, intrauterine growth retardation, and antibody-coated bacteria: Asymptomatic bacteriuria in pregnancy (Harris, Thomas, and Shelokov), 20
tract studies, placental function and, in pre-eclampsia with proteinuria and long-term maternal consequences (Fliegner), 211
Respiratory distress, neonatal, following elective delivery. Preventable disease? (Hack et al.), 43
syndrome with mature lecithin/sphingomyelin ratios: Diabetes mellitus and low Apgar scores (Cruz et al.), 78
Retardation, intrauterine growth, antibody-coated bacteria, and renal function: Asymptomatic bacteriuria in pregnancy (Harris, Thomas, and Shelokov), 20
Ritodrine, effect of, on uterine activity, heart rate, and blood pressure in pregnant sheep: Combined use of alpha or beta blockade (Siimes and Creasy), 1003
infusion, effect of, on uterine and umbilical blood flow in pregnant sheep (Ehrenkranz et al.), 343
Rubber banding, silicone, tubal sterilization by, under laparoscopic vision, unusual complication of (Esposito), 507 (Comm. in brief)
Rupture, spontaneous, of liver in pregnancy: Report of eight cases (Hibbard), 334
Ruptured membranes, prematurely, fetal immune response following (Cederqvist et al.), 321

S

Saline-aborted fetuses, placental cultures for cytogenetic assessment in (Gardner, Wood, and Stecker), 350
hypertonic, mechanism of midtrimester abortion induced by intra-amniotic instillation of: Modification of Gustavii's lysosomal hypothesis (Honoré), 1011
Salpingitis, acute, peritonial fluid isoamylases in, II. Amylases of genital tract (Weström, Skude, and Mårdh), 657
gonococcal, in pregnancy (Genadry, Thompson, and Niebyl), 512 (Comm. in brief)
-peritonitis, endometritis-, and gonococcal endocervicitis, cul-de-sac isolates from patients with (Monif et al.), 158
Satellite virus, adeno-associated, and herpes simplex, antibodies to, in sera from cancer patients and normal adults (Mayor et al.), 100
Scalp abscess: Complication of spiral fetal electrode (Winkel, Snyder, and Schlaerth), 720
Scanning and transmission electron microscopic studies of vaginal adenosis and cervical transformation zone in progeny exposed in utero to diethylstilbestrol (Fenoglio et al.), 170
Secreting, prolactin-, pituitary microadenoma, diagnosis of (Wiebe, Hammond, and Borchert), 993
Secretion(s), gonadotropin, apparent paradox of negative and positive feedback control system on (Yen and Lein), 942
human vaginal, volatile constituents of (Huggins and Preti), 129
prolactin and growth hormone, effect of L-dopa and chlorpromazine on, in normal women (Leblanc and Yen), 162
Section, cesarean, bacteriologic effects of prophylactic antibiotics in (Gibbs and Weinstein), 226
fetal monitoring during (de Marinis, Leighton, and Johnson), 738 (Comm. in brief)
in present-day obstetrics (Jones), 521
Seminal vulvovaginitis, familial allergic (Chang), 442
Sepsis, gonococcal, secondary to fetal monitoring (Thadepalli et al.), 510 (Comm. in brief)
Serum (sera) from cancer patients and normal adults, antibodies to adeno-associated satellite virus and herpes simplex in (Mayor et al.), 100
estrogens, gonadotropin levels, and vasomotor symptoms in surgical menopause (Aksel et al.), 165
fetal and maternal, metabolites of meperidine in (Morrison et al.), 997
human chorionic gonadotropin level throughout normal pregnancy (Braunstein et al.), 678
levels of human placental lactogen and human chorionic gonadotropin in early pregnancy: Maturational index of placenta (Peeters et al.), 707
prognostic and diagnostic value of total estriol in urine and in, and of human placental lactogen hormone in serum in the last part of pregnancy (Trolle, Bock, and Gæde), 834
Sexual abstinence time, postpartum, decreasing (Richardson et al.), 416 (Clinical opinion)
experimentation and pregnancy in young black adolescents (Gispert and Falk), 459
Sexually active women, young, gynecologic disease in (Roddick), 880
Silicone rubber banding, tubal sterilization by, under laparoscopic vision, unusual complication of (Esposito), 507 (Comm. in brief)
Simplex, herpes, adeno-associated satellite virus and, antibodies to, in sera from cancer patients and normal adults (Mayor et al.), 100
Smears, atypical Papanicolaou, outpatient evaluation of patients with: Contribution of endocervical curettage (Shingleton, Gore, and Austin), 122
Smoking, cigarette, use of oral contraceptives, and myocardial infarction (Jain), 301 (Clinical opinion)
race, and human chorionic somatomammotropin production, association of: Abnormal adolescent primiparous pregnancy (Hollingsworth et al.), 230
Somatomammotropin production, human chorionic, smoking, and race, association of: Abnormal adolescent primiparous pregnancy (Hollingsworth et al.), 230
Sonar biparietal diameter. I. Analysis of percentile growth differences in two normal populations using same methodology (Sabbagha, Barton, and Barton), 479
II. Predictive of three fetal growth patterns leading to closer assessment of gestational age and neonatal weight (Sabbagha et al.), 485

South Atlantic Association of Obstetricians and Gynecologists, transactions, thirty-eighth annual meeting, 521-596
Sphingomyelin, lecithin/, ratios, mature, respiratory distress syndrome with: Diabetes mellitus and low Apgar scores (Cruz et al.), 78
Spiral fetal electrode, complication of: Scalp abscess (Winkel, Snyder, and Schlaerth), 720
Squamous cell carcinoma of uterine cervix, circulatory and cellular immune responses to (Chiang, Wei, and Alexander), 116
Stage I carcinoma of cervix (exclusive of microinvasion), radical pelvic surgery versus radiation therapy for (Morley and Seski), 785
Sterilization, combined outpatient laparoscopic, with therapeutic abortion (Powe and McGee), 565
laparoscopic, hysterosalpingographic follow-up of (Sheikh), 181
torsion of oviduct following (Shapiro, Hughes, and Adler), 733 (Comm. in brief)
tubal, by silicone rubber banding under laparoscopic vision, unusual complication of (Esposito), 507 (Comm. in brief)
Steroid sulfatase deficiency, placental, prenatal diagnosis of (Braunstein et al.), 716
Streptococci, group B, incidence, technique of isolation, and treatment of, in obstetric patients (Gordon and Sbarra), 1023
Stretch modulus of human cervical tissue, reduction of, by prostaglandin E_2 (Conrad and Ueland), 218
Submucus fibroids, excision of, with hysteroscopic control (Neuwirth and Amin), 95
Sulfatase deficiency, placental steroid, prenatal diagnosis of (Braunstein et al.), 716
Surgery, radical pelvic, versus radiation therapy for Stage I carcinoma of cervix (exclusive of microinvasion) (Morley and Seski), 785
Surgical menopause, vasomotor symptoms, serum estrogens, and gonadotropin levels in (Aksel et al.), 165
Syndrome, meconium aspiration, combined obstetric and pediatric approach to prevent (Carson et al.), 712
respiratory distress, with mature lecithin/sphingomyelin ratios: Diabetes mellitus and low Apgar scores (Cruz et al.), 78
Systolic time intervals in normotensive and hypertensive human pregnancy (Lim and Walters), 26

T

T intrauterine contraceptive device, Copper, management and outcome of pregnancies associated with (Tatum, Schmidt, and Jain), 869
Teen-ager, abnormal cervical cytology in: Continuing problem (Feldman et al.), 418
Term, normal human pregnancy at, renal clearances of estriol conjugates in (Young et al.), 38
Test, new, more sensitive tube, for pregnancy evaluated with selected hospital population (Lang and Reiss), 693
oxytocin challenge, accelerations and, preliminary report of, I. Antepartum fetal heart rate and uterine activity studies (Fox, Steinbrecher, and Ripton), 61
rabbit, for pregnancy, development of (Friedman), 728 (Classic pages)
Testosterone and dihydrotestosterone, plasma, in ovulatory and anovulatory cycles (Dawood and Saxena), 430
Texas, maternal deaths in, 1969 to 1973 (Gibbs and Locke), 687
Therapeutic abortion, combined outpatient laparoscopic sterilization with (Powe and McGee), 565
Therapy, maternal indomethacin, and primary pulmonary hypertension of newborn, possible association between (Manchester, Margolis, and Sheldon), 467
radiation, radical pelvic surgery versus, for Stage I carcinoma of cervix (exclusive of microinvasion) (Morley and Seski), 785
for recurrence and metastases: Dysgerminoma of ovary (Afridi et al.), 190
three-day, of vulvovaginal candidiasis with econazole: Multicentric study comprising 996 cases (Balmer), 436
Thoracopygopagus tripus: Unusual form of conjoined twins (Lichten and Teteris), 735 (Comm. in brief)
Thrombocytopenic purpura, idiopathic, management of pregnant patient with (Murray and Harris), 449
thrombotic, associated with pregnancy (May, Harbert, and Thornton), 452
Thrombotic thrombocytopenic purpura associated with pregnancy (May, Harbert, and Thornton), 452
Thyroid function, fetal, adverse effect of amniofetography on (Rodesch et al.), 723 (Current investigation)
Tissue homogenates, genital tract, and peritoneal fluid, isoamylases of, I. Amylases of genital tract (Skude, Mårdh, and Weström), 652
human cervical, reduction of stretch modulus of, by prostaglandin E_2 (Conrad and Ueland), 218
Torsion of oviduct following laparoscopic sterilization (Shapiro, Hughes, and Adler), 733 (Comm. in brief)
Toxemia, abnormality in metabolism of ^{15}N-labeled nitrate in (McLaren, Mroueh, and Read), 339
of pregnancy: Assessment of fetal distress by urinary estriol and circulating human placental lactogen and alpha-fetoprotein levels (Garoff and Seppälä), 1027
Toxicity, mercury, in pregnant woman, fetus, and newborn infant (Koos and Longo), 390 (Current developments)
Transabdominal uterine aspiration for culture and metronidazole for treatment. New approach to patients with suspected anaerobic postpartum pelvic infections (Ledger et al.), 1
Transactions, ninety-ninth annual meeting, American Gynecological Society, 739-964
thirty-eighth annual meeting, South Atlantic Association of Obstetricians and Gynecologists, 521-596
Transmission electron microscopic studies, scanning and, of vaginal adenosis and cervical transformation zone in progeny exposed in utero to diethylstilbestrol (Fenoglio et al.), 170
Treatment, metronidazole for, transabdominal uterine aspiration for culture and. New approach to patients with suspected anaerobic postpartum pelvic infections (Ledger et al.), 1
primary, of breast carcinoma (Poticha), 411 (Clinical opinion)
Trimester, second-, amniocentesis, complication of: Needle puncture of fetus (Broome et al.), 247
of pregnancy, hydatidiform mole and eclampsia with coexistent living fetus in (Sicuranza and Tisdall), 513 (Comm. in brief)
Trophoblastic neoplasia, immunologic studies in patients with (Tomoda et al.), 661
Tubal sterilization by silicone rubber banding under laparoscopic vision, unusual complication of (Esposito), 507 (Comm. in brief)
Tube, Fallopian, and ovarian hydrocarbons (Singh et al.), 374
human Fallopian, response of, to ergonovine and methylergonovine in vivo (Coutinho, Maia, and Nascimento), 48
test, new, more sensitive, for pregnancy evaluated with selected hospital population (Lang and Reiss), 693
uterine, leiomyoma of: Report of case (Crissman and Handwerker), 1046 (Comm. in brief)
Twin(s), conjoined, prepartum diagnosis of, by use of diagnostic ultrasound (Wilson, Cetrulo, and Shaub), 737 (Comm. in brief)
unusual form of: Thoracopygopagus tripus (Lichten and Teteris), 735 (Comm. in brief)
pregnancy, screening for detecting (Mägiste et al.), 697

U

Ultrasonic measurement of cervical dilatation during labor (Kok, Wallenburg, and Wladimiroff), 288 (Comm. in brief)
Ultrasound, diagnostic, prepartum diagnosis of conjoined twins by use of (Wilson, Cetrulo, and Shaub), 737 (Comm. in brief)
localization of laminaria (Lee and Barnett), 293 (Comm. in brief)
Ultrastructural development of mammary gland of rat, interaction of progesterone and adrenocorticoids in (Wynn, Harris, and Chatterton), 920
Umbilical blood flow, uterine and, effect of ritodrine infusion on, in pregnant sheep (Ehrenkranz et al.), 343
cord, calcification of (Schiff, Driscoll, and Naftolin), 1046 (Comm. in brief)
compression associated with amniotomy: Laboratory observations (Gabbe et al.), 353
and uterine circulations of pregnant sheep, effect of propranolol infusion on (Oakes et al.), 1038
vein occlusion and transient acceleration of fetal heart rate (James et al.), 276
United States of America, standard of fetal growth for (Brenner, Edelman, and Hendricks), 555
Upstate New York, two and one-half years' experience in: Reported live births following induced abortion (Stroh and Hinman), 83

Urea and prostaglandin $F_{2\alpha}$, intra-amniotic, for midtrimester abortion: Modified regimen (Burkman et al.), 328
Ureteral injury resulting from laparoscopic fulguration of endometriotic implant (Cheng), 1045 (Comm. in brief)
Urinary amine alterations in drug-addiction pregnancy (Zuspan), 955
estriol and circulating human placental lactogen and alpha-fetoprotein levels, assessment of fetal distress by: Toxemia of pregnancy (Garoff and Seppälä), 1027
Urine, total estriol in, prognostic and diagnostic value of, and in serum and of human placental lactogen hormone in serum in last part of pregnancy (Trolle, Bock, and Gæde), 834
Uterine activity, heart rate, and blood pressure, effect of ritodrine on, in pregnant sheep: Combined use of alpha or beta blockade (Siimes and Creasy), 1003
in multiparous patient (Huey, Al-Hadjiev, and Paul), 682
studies, antepartum fetal heart rate and. I. Preliminary report of accelerations and oxytocin challenge test (Fox, Steinbrecher, and Ripton), 61
artery (arteries), human, response of, to local anesthetics (Cibils), 202
responses, human, to lidocaine (Gibbs and Noel), 313
aspiration, transabdominal, for culture and metronidazole for treatment. New approach to patients with suspected anaerobic postpartum pelvic infections (Ledger et al.), 1
cervix, human, spontaneous contractility and response of, to prostaglandin $F_{2\alpha}$ and E_2 during menstrual cycle (Coutinho and Darzé), 224
intraepithelial neoplasia of, carcinoembryonic antigen in (van Nagell et al.), 105
squamous cell carcinoma of, circulatory and cellular immune responses to (Chiang, Wei, and Alexander), 116
circulations, umbilical and, of pregnant sheep, effect of propranolol infusion on (Oakes et al.), 1038
operation, termination of pregnancy and, colonic pseudo-obstruction following (Spira and Wolff), 7
pressure-flow relationships during early gestation (Greiss, Anderson, and Still), 799
tube, leiomyoma of: Report of case (Crissman and Handwerker), 1046 (Comm. in brief)
and umbilical blood flow, effect of ritodrine infusion on, in pregnant sheep (Ehrenkranz et al.), 343
Utero, progeny exposed in, to diethylstilbestrol, scanning and transmission electron microscopic studies of vaginal adenosis and cervical transformation zone in (Fenoglio et al.), 170

V

Vagina, human, embryologic development of (Ulfelder and Robboy), 769
Vaginal adenosis and cervical transformation zone, scanning and transmission electron microscopic studies of, in progeny exposed in utero to diethylstilbestrol (Fenoglio et al.), 170
hysterectomy, pelvic infection following, effect of prophylactic ampicillin on (Glover and van Nagell), 385
lubricants, effect of, on *Neisseria gonorrhoeae* (Singh and Cutler), 365
secretions, human, volatile constituents of (Huggins and Preti), 129
vault suspension, composite, using fascia lata (Ridley), 590
Vaginale, Corynebacterium (Haemophilus vaginalis) in women with leukorrhea (Josey, McKenzie, and Lambe), 574
Vaginalis, Haemophilus (Corynebacterium vaginale) in women with leukorrhea (Josey, McKenzie, and Lambe), 574
Vasomotor symptoms, serum estrogens, and gonadotropin levels in surgical menopause (Aksel et al.), 165
Vein occlusion, umbilical, and transient acceleration of fetal heart rate (James et al.), 276
Virucidal effect of certain chemical contraceptives on Type 2 herpesvirus (Singh, Postic, and Cutler), 422
Virus, adeno-associated satellite, and herpes simplex, antibodies to, in sera from cancer patients and normal adults (Mayor et al.), 100
Vulvovaginal candidiasis, three-day therapy of, with econazole: Multicentric study comprising 996 cases (Balmer), 436
Volatile constituents of human vaginal secretions (Huggins and Preti), 129
Vulvovaginitis, familial allergic seminal (Chang), 442

W

Weight, neonatal, gestational age and, closer assessment of, predictive of three fetal growth patterns leading to, II. Sonar biparietal diameter (Sabbagha et al.), 485
Women's clinic, evolution of: Alternate system of medical care (Gray and Tyson), 760

Y

Young black adolescents, sexual experimentation and pregnancy in (Gispert and Falk), 459